


Ansys
2023/R1
Take A Leap Of Certainty

CAPABILITIES



/ CONTENTS

STRUCTURES

Vibrations.....	3
Acoustics.....	3
Wave Hydrodynamics.....	4
Additional Physics.....	4
Composite Materials.....	5
Durability.....	6
Explicit Dynamics.....	6
Implicit Dynamics.....	7
Geometric Idealization.....	7
Geometry and STL File Handling.....	7
HPC - Structures.....	8
Materials.....	8
Miscellaneous and Usability.....	9
Modeling Capabilities.....	10
Multi Analysis.....	10
Nonlinear Multi-Body Dynamics.....	10
Optimization.....	11
Structural Solver Capabilities.....	11
Thermal.....	11
Topology and Lattice Optimization.....	12
Particle Methods.....	12
Automotive.....	12
Metal Stamping.....	13

ACOUSTICS SIMULATION

Acoustics & Sound Quality.....	14
--------------------------------	----

ADDITIVE MANUFACTURING

Additive Prep.....	15
Workbench Additive.....	15
Additive Print.....	16
Additive Science.....	17

MATERIALS

Materials Data Management.....	18
Materials Data Analysis.....	19
Data Flow Management.....	19
Integration with CAD, CAE, PLM.....	19
Restricted Substances.....	19
Granta MI - Additive.....	20
Materials Selection & Related Tools.....	20
Data Library for Industry.....	20
Teaching Resources.....	21

FLUIDS

Fluent Capabilities.....	22
Fluent Meshing Capabilities.....	25
CFX Capabilities.....	25
TurboGrid Capabilities.....	27
BladeGen and BladeEditor Capabilities.....	28
Vista Capabilities.....	28
CFD Post Capabilities.....	28
Polyflow Capabilities.....	29
Forte Capabilities.....	29
Chemkin-Pro Capabilities.....	30
FENSAP-ICE Capabilities.....	30
Access to Additional Applications.....	31

AUTONOMOUS VEHICLE SIMULATION

Human Vision.....	32
Headlamp Simulation.....	32
Sensors Simulation.....	32
Environment Simulation.....	32
Preparation.....	32

DIGITAL TWIN

System Simulation, Validation and Digital Twins.....	33
--	----

EMBEDDED SOFTWARE

Model-Based Systems Engineering.....	34
Embedded Control & HMI Software.....	34
Perception Software Testing.....	35

CONNECT

Licensing and Installation.....	36
Data Management.....	36
Process Management.....	36
Application Management.....	36
Integrations.....	37
Workflow Management.....	37
Tool Interoperability.....	37
Orchestration and Automation.....	37
Product Improvement.....	38
Product Robustness.....	38
Dashboards and Reports.....	38

Automate Any Modeling and Simulation Tool.....	38
Author Engineering Workflows.....	38
Automatically Execute the Workflow.....	39
Share Automated Analyses and Workflows.....	39
Gain Insight to the Design Problem.....	39
Visualize the Design Space.....	39
Probabilistic Analysis.....	40
Design of Experiments (Common).....	40
Design of Experiments (North America Only).....	40
Design of Experiments (Global).....	40
Connect Any Engineering Analysis to Systems Architecture Model.....	40
Simulate Complex System Behavior.....	41
Verify Requirements.....	41

SAFETY ANALYSIS

Functional Safety Analysis.....	42
Cybersecurity Analysis.....	42
Safety Management.....	42

OPTICS

Ansys Products Embedded.....	43
General Solver Capabilities.....	43
Photometry / Radiometry.....	43
Human Vision.....	44
Wavelength Range.....	44
Optical Design.....	44
Optical Sensor.....	44
Head-Up Display.....	45
Solver Performances.....	45
Simulation Preparation.....	45
Post Processing.....	46
Optimization.....	46
Tool Interoperability.....	47
Imaging & Afocal Design.....	47
Lighting and Illumination Design.....	48
Programming and Interface.....	48

Lasers & Fibers.....	49
CAD Integration.....	49
Data Libraries.....	49
STAR.....	50
OpticsBuilder.....	50

ELECTRONICS

Low Frequency Electromagnetics.....	52
Magnetic Transient.....	52
Advanced Magnetic Modeling.....	52
Concept Design Solution for High Frequency Electromagnetics.....	53
Power and Signal Integrity Board Simulation Capabilities.....	56
RLCG Parasitic Extraction.....	57
Electronics Cooling.....	57
Cable Modeling.....	58
HPC for Electronics.....	58
System Modeling for Power Electronics.....	59
System Modeling for RF / Microwave.....	59
System Modeling for SI/SP.....	59
Multiphysics-Platform Technologies.....	60
Multiphysics Electro-Thermal Interaction.....	60
Materials for Electronics.....	60
Miscellaneous.....	60
Charging and Discharging Modeling.....	60

PHOTONICS

Design Environment.....	61
General.....	61
General Solver Capabilities.....	61
Materials Selection & Related Tools.....	62
Optimization.....	62
Post Processing.....	62
Tool Interoperability.....	63

DESIGN TOOLS

Fluids.....	64
Geometry.....	64
Heat Transfer.....	64
Granta Materials Data for Simulation.....	65
Multiphysics.....	65
Structural.....	65
Tool Interoperability.....	65
High Frequency Electromagnetics.....	65

DIGITAL MISSION ENGINEERING

Modeling Capabilities.....	66
Simulate & Process Satellite / Spacecraft Tracking Data.....	67
App Development API's.....	68

CLOUD

VDI Support.....	69
HPC Support.....	69
Cloud Hardware Provider.....	69
Storage.....	69
Licensing.....	69
Authentication.....	69
Web Portal.....	69
3rd Party Tools.....	69

/ STRUCTURES	MECHANICAL ENTERPRISE	MECHANICAL PREMIUM	MECHANICAL PRO	AUTODYN	LS-DYNA	SHERLOCK	MOTION	FORMING PRO
VIBRATIONS								
Modal	●	●	●		●	●	●	
Modal - Pre-Stressed	●	●	●		●		●	
Modal – Damped/Unsymmetric	●	●						
Transient - Mode-Superposition	●	●			●	●	●	
Harmonic - Mode-Superposition	●	●			●	●		
Harmonic - Full	●	●			▲			
Spectrum	●	●			●			
Random Vibration	●	●			●	●		
Mistuning	●	●						
Multi-Stage Cyclic Symmetry	●							
Rotordynamics	●	●			●			
ACOUSTICS								
Modal Acoustics	●							
Harmonic Acoustics	●				●			
Transient Acoustics	●				●			
Boundary Element Method Acoustics					●			
Spectral Element Method Acoustics					●			
Statistical Energy Analysis Acoustics					●			
Piezoelectric Acoustics	●							
Generation of Acoustic Signature from Contact Regions	●				●		●	
Acoustics Element Library	●	●			●		●	
Acoustics Material Models	●	●			●			

- 1 = Ansys nCode DesignLife Products
- 2 = Ansys Fluent
- 3 = Ansys DesignXplorer
- 4 = Ansys SpaceClaim
- 5 = Ansys Customization Suite (ACS)
- 6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
- 7 = Ansys Granta Materials Data for Simulation
- 8 = Ansys Additive Suite
- 9 = Ansys Composite Cure Simulation
- 10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
- 11 = Ansys SPEOS
- 12 = Ansys SPEOS & Ansys SPEOS for NX
- 13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
- DMP = Distributed-memory parallel
- SMP = Shared-memory parallel
- MAPDL = Mechanical APDL
- Explicit = Autodyn
- RBD = Rigid Body Dynamics
- Aqwa = Aqwa

/ STRUCTURES	MECHANICAL ENTERPRISE	MECHANICAL PREMIUM	MECHANICAL PRO	AUTODYN	LS-DYNA	SHERLOCK	MOTION	FORMING PRO
WAVE HYDRODYNAMICS								
Diffraction and Radiation	●							
Frequency & Time Domain Motions Analysis	●							
Moorings, Joints & Tethers	●							
Internal Tanks	●							
Load Transfer to Structural Analysis	●							
ADDITIONAL PHYSICS								
1-D Thermal-Flow	●	●	●		●			
1-D Coupled-Field Circuits	●							
1-D Electromechanical Transducer	●							
Piezoelectric	●				●			
Piezoresistive	●							
Electromagnetic	●							
Electro-Migration	●					●		
Diffusion-Pore-Fluid	●							
Diffusion-Thermal-Electric-Magnetic	●							
1-Way Fluid Structure Interaction	■ ²	■ ²	■ ²					
2-Way Fluid-Structure Interaction	■ ²			●	●			
Incompressible Fluid Dynamics (ICFD)					●			
Arbitrary Lagrangian Eulerian Method (ALE)					●			
Electromagnetics (EM) - Boundary Element Method (BEM)					●			
Multi-scale Modeling	●				●			
Conservation Element/Solution Element (CESE)					●			

- 1 = Ansys nCode DesignLife Products
- 2 = Ansys Fluent
- 3 = Ansys DesignXplorer
- 4 = Ansys SpaceClaim
- 5 = Ansys Customization Suite (ACS)
- 6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
- 7 = Ansys Granta Materials Data for Simulation
- 8 = Ansys Additive Suite
- 9 = Ansys Composite Cure Simulation
- 10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
- 11 = Ansys SPEOS
- 12 = Ansys SPEOS & Ansys SPEOS for NX
- 13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
- DMP = Distributed-memory parallel
- SMP = Shared-memory parallel
- MAPDL = Mechanical APDL
- Explicit = Autodyn
- RBD = Rigid Body Dynamics
- Aqwa = Aqwa

/ STRUCTURES	MECHANICAL ENTERPRISE	MECHANICAL PREMIUM	MECHANICAL PRO	AUTODYN	LS-DYNA	SHERLOCK	MOTION	FORMING PRO
COMPOSITE MATERIALS								
Material Definitions	●	●		●	●	●	●	
Ply Definitions	●	▲		●	●	●		
Interface Layers	●				●			
Advanced Ply-Modeling Features	●							
Variable Material Data	●				▲			
Solid Extrusion	●				●			
Lay-Up Mapping	●							
Draping	●				●			
Lay-Up Exchange Interfaces	●							
Advanced Failure Criteria Library	●				▲			
First-Ply Failure	●	●			●			
Last-Ply failure	●				●			
Delamination	●				●			
Composite Cure Simulation	■ ⁹				▲			
Sandwich Modeling	●				●			
Automation / Run Scripts	●				●			
Short Fiber Composites	●				●			

- 1 = Ansys nCode DesignLife Products
- 2 = Ansys Fluent
- 3 = Ansys DesignXplorer
- 4 = Ansys SpaceClaim
- 5 = Ansys Customization Suite (ACS)
- 6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
- 7 = Ansys Granta Materials Data for Simulation
- 8 = Ansys Additive Suite
- 9 = Ansys Composite Cure Simulation
- 10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
- 11 = Ansys SPEOS
- 12 = Ansys SPEOS & Ansys SPEOS for NX
- 13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
- DMP = Distributed-memory parallel
- SMP = Shared-memory parallel
- MAPDL = Mechanical APDL
- Explicit = Autodyn
- RBD = Rigid Body Dynamics
- Aqwa = Aqwa

/ STRUCTURES	MECHANICAL ENTERPRISE	MECHANICAL PREMIUM	MECHANICAL PRO	AUTODYN	LS-DYNA	SHERLOCK	MOTION	FORMING PRO
DURABILITY								
Stress-Life (SN)	●	●	●		●		●	
Strain-Life (EN)	●	●	●		●		●	
Dang Van	■ ¹	■ ¹	■ ¹		■ ¹			
Safety Factor	●	●	●		●		●	
Adhesive Bond	■ ¹	■ ¹	■ ¹		■ ¹			
Crack Growth Linear Fracture Mechanics	■ ¹	■ ¹	■ ¹		■ ¹			
Seam Weld	■ ¹	■ ¹	■ ¹		■ ¹			
Spot Weld	■ ¹	■ ¹	■ ¹		■ ¹			
Thermo-Mechanical Fatigue	■ ¹	■ ¹	■ ¹		■ ¹	▲		
Vibration Fatigue	■ ¹	■ ¹	■ ¹		■ ¹	●	●	
Short-Fiber Composite Fatigue	■ ¹							
Virtual Strain Gauge Correlation	■ ¹	■ ¹	■ ¹		■ ¹			
Python Scripting Customization	■ ¹	■ ¹	■ ¹		■ ¹	▲		
EXPLICIT DYNAMICS								
FE (Lagrange) Solver	●			●	●			
Euler Solvers				●	●			
Implicit-Explicit Material States	●			●	●			
Mass Scaling	●			●	●			
Natural Fragmentation	●			●	●			
Erosion Based on Multiple Criteria	●			●	●			
De-Zoning				●	●			
Part Activation and Deactivation (Multi Stage Analysis)				●	●			
Explicit Time Integration	●			●	●			

1 = Ansys nCode DesignLife Products
2 = Ansys Fluent
3 = Ansys DesignXplorer
4 = Ansys SpaceClaim
5 = Ansys Customization Suite (ACS)
6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
7 = Ansys Granta Materials Data for Simulation
8 = Ansys Additive Suite
9 = Ansys Composite Cure Simulation
10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
11 = Ansys SPEOS
12 = Ansys SPEOS & Ansys SPEOS for NX
13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
DMP = Distributed-memory parallel
SMP = Shared-memory parallel
MAPDL = Mechanical APDL
Explicit = Autodyn
RBD = Rigid Body Dynamics
Aqwa = Aqwa

/ STRUCTURES	MECHANICAL ENTERPRISE	MECHANICAL PREMIUM	MECHANICAL PRO	AUTODYN	LS-DYNA	SHERLOCK	MOTION	FORMING PRO
IMPLICIT DYNAMICS								
Implicit Time Integration	●	●			●	●	●	
GEOMETRIC IDEALIZATION								
Spring	●	●	▲	●	●		●	
Mass	●	●	●	●	●		●	
Damper	●	●		●	●		●	
Spar	●	●	●		●			
Beam	●	●	●	●	●		●	
Cable	●	●	●		●			
Pipe/Elbow	●	●	●					
Shell - Thin	●	●	●	●	●		●	
Layered Shell -Thin (Composite)	●	●		●	●			
Shell - Thick (Solid Shell)	●	●	●		●	●		
Layered Shell - Thick (Solid Shell) (Composite)	●	●	●		●			
2D Plane / Axisymmetric	●	●	●		●		●	
3D Solids	●	●	●		●	●	●	
Layered 3D Solids (Composite)	●	●			●			
Infinite Domain	●	●	●	●	●		●	
2.5D Elements	●	●						
Reinforcement Elements	●	●		●	●	■		
Coupled Field ROM Element Technology	●	●						
Iso-Geometric Analysis (IGA)					●			
GEOMETRY AND STL FILE HANDLING								
SpaceClaim Direct Modeler	●							

- 1 = Ansys nCode DesignLife Products
- 2 = Ansys Fluent
- 3 = Ansys DesignXplorer
- 4 = Ansys SpaceClaim
- 5 = Ansys Customization Suite (ACS)
- 6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
- 7 = Ansys Granta Materials Data for Simulation
- 8 = Ansys Additive Suite
- 9 = Ansys Composite Cure Simulation
- 10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
- 11 = Ansys SPEOS
- 12 = Ansys SPEOS & Ansys SPEOS for NX
- 13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
- DMP = Distributed-memory parallel
- SMP = Shared-memory parallel
- MAPDL = Mechanical APDL
- Explicit = Autodyn
- RBD = Rigid Body Dynamics
- Aqwa = Aqwa

/ STRUCTURES	MECHANICAL ENTERPRISE	MECHANICAL PREMIUM	MECHANICAL PRO	AUTODYN	LS-DYNA	SHERLOCK	MOTION	FORMING PRO
HPC - STRUCTURES								
Default Number of Cores	4 cores (DMP or SMP) MAPDL, 4 for Explicit, 4 for RBD, 4 for AQWA	4 cores (DMP or SMP) MAPDL, 4 for RBD	4 cores (DMP or SMP)	4 cores	4 core	Default Number of cores based on machine being used	4 core	4 cores
Parallel Solving on Local PC and Cluster	●	●	●	●	●	●	●	▲
MAPDL GPU Offload Acceleration	■ ⁶	■ ⁶	■ ⁶					
Ansys Cloud Support	MAPDL - Yes Explicit - No RBD - No AQWA - No	MAPDL - Yes RBD - No	MAPDL - Yes		●	▲		
Hybrid Parallel	●	●	●					
MATERIALS								
Basic Linear Materials (Linear, Anisotropic, Temperature Dependent)	●	●	●	●	●	●	●	
Basic Nonlinear Materials (Hyperelastic, Plasticity, Rate Independent, Isotropic, Concrete, Viscoelasticity)	●	●	▲	●	●		●	
Advanced Nonlinear Materials (Rate dependent, Anisotropic, Damage Models, Geomaterials, Multiphysics, Acoustics)	●			●	●			
Specialty Materials (Glass, Foam, Kevlar, Fabric, Biomechanic, Paper, Cardboard)					●		●	
Field Dependent	●	●		●				
Reactive Materials (Equations of State, High Explosives, Propellants)				●	●			
User Defined Materials	●			●	●	●	●	
Fracture Mechanics and Crack Growth	●				▲			
Materials Multiscale Homogenization	●				●			
Materials Database	■ ⁷	■ ⁷	■ ⁷	■ ⁷	■ ⁷	●	■ ⁷	

- 1 = Ansys nCode DesignLife Products
 - 2 = Ansys Fluent
 - 3 = Ansys DesignXplorer
 - 4 = Ansys SpaceClaim
 - 5 = Ansys Customization Suite (ACS)
 - 6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
 - 7 = Ansys Granta Materials Data for Simulation
 - 8 = Ansys Additive Suite
 - 9 = Ansys Composite Cure Simulation
 - 10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
 - 11 = Ansys SPEOS
 - 12 = Ansys SPEOS & Ansys SPEOS for NX
 - 13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
- DMP = Distributed-memory parallel
SMP = Shared-memory parallel
MAPDL = Mechanical APDL
Explicit = Autodyn
RBD = Rigid Body Dynamics
Aqwa = Aqwa

/ STRUCTURES	MECHANICAL ENTERPRISE	MECHANICAL PREMIUM	MECHANICAL PRO	AUTODYN	LS-DYNA	SHERLOCK	MOTION	FORMING PRO		
MISCELLANEOUS AND USABILITY										
Ansys SpaceClaim	●	■ ⁴	■ ⁴	■ ⁴	■ ⁴		■ ⁴			
Ansys Customization Suite (ACS)	●									
Support ACT Extensions	●	●	●	●	●					
Journaling and Scripting	●	●	●		●	●	▲			
Command Snippet Support	●	●	●							
Batch run capability	●	●	●	●	●	●	●			
Read/Write 3rd Party Matrix CAE Data	●	●		●	●		●			
CDB and 3rd party FE Model Import	●	●	●		●		●			
Nastran Bulk File Export	●	●	●			●				
Direct Input of Nastran Bulk Data Files					●					
Pre-stressing from Nastran Linear Solution					●					
Global/Selective Mass Scaling	●			●	●					
Keyword Input	●	●	●		●					
Splitting of Input File into Subfiles	●	●	●		●					
User Subroutines	●			●	●		●			
Re-mapping	●			●	●					
Transmitting boundaries	●			●	●					
Dynamic Storage Allocation	●	●	●		●					
Extensive Output Data Controls (ascii/binary)	●	●	●		●					
Sense Switch Controls - Monitor Simulations Status	▲	▲	▲		●					
Interactive Real-Time Graphics	●	●	●	●	●					
Double Precision	●	●	●	●	●		●			

- 1 = Ansys nCode DesignLife Products
- 2 = Ansys Fluent
- 3 = Ansys DesignXplorer
- 4 = Ansys SpaceClaim
- 5 = Ansys Customization Suite (ACS)
- 6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
- 7 = Ansys Granta Materials Data for Simulation
- 8 = Ansys Additive Suite
- 9 = Ansys Composite Cure Simulation
- 10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
- 11 = Ansys SPEOS
- 12 = Ansys SPEOS & Ansys SPEOS for NX
- 13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
- DMP = Distributed-memory parallel
- SMP = Shared-memory parallel
- MAPDL = Mechanical APDL
- Explicit = Autodyn
- RBD = Rigid Body Dynamics
- Aqwa = Aqwa

/ STRUCTURES	MECHANICAL ENTERPRISE	MECHANICAL PREMIUM	MECHANICAL PRO	AUTODYN	LS-DYNA	SHERLOCK	MOTION	FORMING PRO		
MODELING CAPABILITIES										
Contact - Linear	●	●	●	●	●		●			
Contact - Nonlinear	●	●	●	●	●		●			
Joints	●	●	●	●	●		●			
Seam Welds	●	●	●	●	●		●			
Spot Welds	●	●	●	●	●		●			
Element Birth and Death	●	●			●		●			
Gasket Elements	●				●					
Rezoning and Adaptive Remeshing	●				●					
Inverse Analysis	●									
MULTI ANALYSIS										
Submodeling	●	●	●		●	▲				
Data Mapping	●	●	●		●		●			
Multiphysics Data Mapping	●	●	▲			▲	●			
Initial State	●	●		●	●		●			
Advanced Multi-Stage 2-D to 3-D Analysis	●	●								
NONLINEAR MULTI-BODY DYNAMICS										
Rigid Body Mechanisms	●	●			●		●			
Rigid Body Dynamics with CMS Components for Flexible Bodies	●						●			
Full Transient	●	●		●	●		●			
CMS with Substructuring	●						●			
Mixed Rigid - Flexible Systems	●	●	●	●	●		●			
Function Expression					●		●			
Drivetrain Creation							●			
Links							●			
Vehicle Dynamics					●		●			

- 1 = Ansys nCode DesignLife Products
- 2 = Ansys Fluent
- 3 = Ansys DesignXplorer
- 4 = Ansys SpaceClaim
- 5 = Ansys Customization Suite (ACS)
- 6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
- 7 = Ansys Granta Materials Data for Simulation
- 8 = Ansys Additive Suite
- 9 = Ansys Composite Cure Simulation
- 10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
- 11 = Ansys SPEOS
- 12 = Ansys SPEOS & Ansys SPEOS for NX
- 13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
- DMP = Distributed-memory parallel
- SMP = Shared-memory parallel
- MAPDL = Mechanical APDL
- Explicit = Autodyn
- RBD = Rigid Body Dynamics
- Aqwa = Aqwa

/ STRUCTURES	MECHANICAL ENTERPRISE	MECHANICAL PREMIUM	MECHANICAL PRO	AUTODYN	LS-DYNA	SHERLOCK	MOTION	FORMING PRO
OPTIMIZATION								
DesignXplorer included	●	●	●	■ ³	■ ³			
Parameters	●	●	●	●	●	▲	●	
Design Point Studies	●	●	●	●	●		●	
Correlation Analysis	●	●	●	●				
Design of Experiments	●	●	●	●			●	
Sensitivity Analysis	●	●	●	●				
Goal Drive Optimization	●	●	●	●				
STRUCTURAL SOLVER CAPABILITIES								
Linear Static	●	●	●		●	●	●	
Nonlinear Static	●	●	●		●		●	
Pre-Stress Effect, Linear Perturbation	●	●	●	▲	▲		●	
Nonlinear Geometry	●	●	●	●	●		●	
Buckling - Linear Eigenvalue	●	●	●		●		●	
Buckling - Nonlinear Post Buckling Behavior	●	●	●		●			
Buckling - Nonlinear Post Buckling Behavior - Arc Length	●	●			●			
Steady State Analysis Applied to a Transient Condition	●				●			
Advanced Wave Loading	●							
THERMAL								
Steady State Thermal	●	●	●		●	▲		
Transient Thermal	●	●	●		●		●	
Conduction	●	●	●	●	●	●	●	
Convection	●	●	●		●			
Radiation to Space	●	●	●		●			
Radiation - Surface to Surface	●	●	●		●			
Phase Change	●	●	●	●	●			
Thermal Analysis of Layered Shells and Solids	●	●	●		●			

- 1 = Ansys nCode DesignLife Products
- 2 = Ansys Fluent
- 3 = Ansys DesignXplorer
- 4 = Ansys SpaceClaim
- 5 = Ansys Customization Suite (ACS)
- 6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
- 7 = Ansys Granta Materials Data for Simulation
- 8 = Ansys Additive Suite
- 9 = Ansys Composite Cure Simulation
- 10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
- 11 = Ansys SPEOS
- 12 = Ansys SPEOS & Ansys SPEOS for NX
- 13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
- DMP = Distributed-memory parallel
- SMP = Shared-memory parallel
- MAPDL = Mechanical APDL
- Explicit = Autodyn
- RBD = Rigid Body Dynamics
- Aqwa = Aqwa

/ STRUCTURES	MECHANICAL ENTERPRISE	MECHANICAL PREMIUM	MECHANICAL PRO	AUTODYN	LS-DYNA	SHERLOCK	MOTION	FORMING PRO
TOPOLOGY AND LATTICE OPTIMIZATION								
Structural Optimization	●	●	●					
Modal Optimization	●	●	●					
Thermal Loads	●	●	●					
Inertial Loads	●	●	●					
Optimized Design Validation	●	●	●					
Manufacturing Constraints	●	●	●					
Stress Constraints	●	●	●					
Symmetry	●	●	●					
Lattice Optimization	■ ⁸							
Overhang/Additive Constraints	■ ⁸							
PARTICLE METHODS								
Smooth Particle Hydrodynamics (SPH)				●	●			
Smooth Particle Galerkin (SPG)					●			
Corpuscular Particle Method (CPM)					●			
Discrete Element Method (DEM)					●			
AUTOMOTIVE								
Seat-belts - including modeling of accelerometer, pretensioner, retractor, sensor, and slip ring					●			
Inflator Models					●			
Airbag Fabric Constitutive Models					●			
Accelerometers					●			
Airbag Sensors					●			
Airbag Breakout					●			
Eulerian Deployment of Airbags					●			
Airbag Folder					●			
Unfolded Reference Geometry for Airbags					●			

- 1 = Ansys nCode DesignLife Products
- 2 = Ansys Fluent
- 3 = Ansys DesignXplorer
- 4 = Ansys SpaceClaim
- 5 = Ansys Customization Suite (ACS)
- 6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
- 7 = Ansys Granta Materials Data for Simulation
- 8 = Ansys Additive Suite
- 9 = Ansys Composite Cure Simulation
- 10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
- 11 = Ansys SPEOS
- 12 = Ansys SPEOS & Ansys SPEOS for NX
- 13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
- DMP = Distributed-memory parallel
- SMP = Shared-memory parallel
- MAPDL = Mechanical APDL
- Explicit = Autodyn
- RBD = Rigid Body Dynamics
- Aqwa = Aqwa

/ STRUCTURES	MECHANICAL ENTERPRISE	MECHANICAL PREMIUM	MECHANICAL PRO	AUTODYN	LS-DYNA	SHERLOCK	MOTION	FORMING PRO
AUTOMOTIVE								
Dummy Positioner					●			
Side-Impact Dummy Special Damper					●			
Airbag Deployment					●			
METAL STAMPING								
Multi-Stage Forming Process Validation								●
Material Data Library and Management								●
Process Definition								●
Tool Setup and Preview								●
Drawbead Definition								●
Multiple Lancing Operation								●
Stamping Specific Post Processing (FLD, Formability Index, Wrinkling, Skidmark)								●
Clamping Simulation								●

- 1 = Ansys nCode DesignLife Products
- 2 = Ansys Fluent
- 3 = Ansys DesignXplorer
- 4 = Ansys SpaceClaim
- 5 = Ansys Customization Suite (ACS)
- 6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
- 7 = Ansys Granta Materials Data for Simulation
- 8 = Ansys Additive Suite
- 9 = Ansys Composite Cure Simulation
- 10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
- 11 = Ansys SPEOS
- 12 = Ansys SPEOS & Ansys SPEOS for NX
- 13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
- DMP = Distributed-memory parallel
- SMP = Shared-memory parallel
- MAPDL = Mechanical APDL
- Explicit = Autodyn
- RBD = Rigid Body Dynamics
- Aqwa = Aqwa

/ ACOUSTICS SIMULATION	ANSYS SOUND ENTERPRISE	ANSYS SOUND PREMIUM	ANSYS SOUND PRO
ACOUSTICS & SOUND QUALITY			
Listen and Modify Sound (SAS)	●	●	●
Perform Acoustic Analysis and Psychoacoustic Criteria Calculations (SAS)	●	●	●
Automatic Sound Component Detection and Separation (SAS)	●	●	●
Connect and Listen to Ansys Mechanical, LS-DYNA, Fluent and Motion CAE Simulations (SAS)	●	●	●
3D Sound for Listening Room and VR (VR Sound)	●	●	
Interactive Sound for Driving Simulator (Car Sound Simulator)	●	●	
Measure Sound Perception with Listening Test (Jury Listening Test)	●	●	
Engine Sound Design and Engine Sound Enhancement for ICE Vehicle (ASD)	●		
Active Sound Design for Electric Vehicles (ASD for EV)	●		
Combine Test and Simulation Data to Assess Sound Quality	●	●	●

- 1 = Ansys nCode DesignLife Products
- 2 = Ansys Fluent
- 3 = Ansys DesignXplorer
- 4 = Ansys SpaceClaim
- 5 = Ansys Customization Suite (ACS)
- 6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
- 7 = Ansys Granta Materials Data for Simulation
- 8 = Ansys Additive Suite
- 9 = Ansys Composite Cure Simulation
- 10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
- 11 = Ansys SPEOS
- 12 = Ansys SPEOS & Ansys SPEOS for NX
- 13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
- DMP = Distributed-memory parallel
- SMP = Shared-memory parallel
- MAPDL = Mechanical APDL
- Explicit = Autodyn
- RBD = Rigid Body Dynamics
- Aqwa = Aqwa

/ ADDITIVE MANUFACTURING	ADDITIVE PRINT	ADDITIVE SUITE							
ADDITIVE PREP									
Define Build Envelope	■	■							
Multiple Parts	■	■							
Optimize Part Orientation Based upon Distortion Tendency, Build Time and Supports	■	■							
Support Region Detection and Manual Modification	■	■							
Created Multiple Support Types in One Region	■	■							
Control of Support Parameters	■	■							
Multiple Support Types	■	■							
Angled Supports	■	■							
Perforations, Tooth Patterns, Intrusion, Sizing and Distribution of Support Walls	■	■							
Automatic Support Generation	■	■							
Export of STL and SpaceClaim Files	■	■							
Export of Additive Manufacturing Equipment (OEM) Build Files	■	■							
Cost Estimation	■	■							
Layer/Scan Vector Visualization	■	■							
WORKBENCH ADDITIVE									
Nonlinear and Temperature Dependent Material Properties		●							
Thermo-Mechanical Coupled Strain Solution		●							
Native Mechanical Environment		●							
Part Distortion and Residual Stress after Baseplate Cut-Off and/or Support Removal		●							
Directional Part and Support Removal		●							
Recoater Interference Detection		●							
Identification of High Strain (Crack) Locations		●							
Layer by Layer Stress and Distortion Visualizations		●							
Option to Output Only the Last Layer of the Build or Every Nth Layer		●							
Distortion Compensation									

- 1 = Ansys nCode DesignLife Products
- 2 = Ansys Fluent
- 3 = Ansys DesignXplorer
- 4 = Ansys SpaceClaim
- 5 = Ansys Customization Suite (ACS)
- 6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
- 7 = Ansys Granta Materials Data for Simulation
- 8 = Ansys Additive Suite
- 9 = Ansys Composite Cure Simulation
- 10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
- 11 = Ansys SPEOS
- 12 = Ansys SPEOS & Ansys SPEOS for NX
- 13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
- DMP = Distributed-memory parallel
- SMP = Shared-memory parallel
- MAPDL = Mechanical APDL
- Explicit = Autodyn
- RBD = Rigid Body Dynamics
- Aqwa = Aqwa

/ ADDITIVE MANUFACTURING	ADDITIVE PRINT	ADDITIVE SUITE							
WORKBENCH ADDITIVE									
User-Defined Step Option as 1st or Last Sequence Step		●							
Layered Tetrahedral Meshing		●							
Post Build Heat Treatment		●							
Import of STL Supports		●							
Inherent Strain Isotropic and Anisotropic		●							
Strain Scaling Factor for Thermal and Structural Analyses		●							
STL Files can be Exported from STL Supports		●							
Voxel Mesh Generation		●							
Wizards to Transfer Results from Additive Print to Workbench Additive		●							
Calibration setup in AM Wizard		●							
AM Bond Implementation		●							
Layer End Temperature Output		●							
Process Simulation for Directed Energy Deposition		●							
Direct Energy Deposition - Wizard		●							
Direct Energy Deposition - G-Code Clustering		●							
Direct Energy Deposition - Manual Clustering		●							
Automatic Distortion Compensation Optimization		●							
Scan Pattern Based Anisotropic Strain		●							
Machine Learning Thermal Strain		●							
"Binder Jet Sintering		●							
Sintering Material Model		●							
Sintering Material Model - Wizard		●							
ADDITIVE PRINT									
Nonlinear and Temperature Dependent Material Properties	●	●							
Uniform Assumed Isotropic Strain	●	●							
Scan Pattern Based Anisotropic Strain	●	●							
Thermal Ratcheting Based Anisotropic Strain	●	●							

- 1 = Ansys nCode DesignLife Products
- 2 = Ansys Fluent
- 3 = Ansys DesignXplorer
- 4 = Ansys SpaceClaim
- 5 = Ansys Customization Suite (ACS)
- 6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
- 7 = Ansys Granta Materials Data for Simulation
- 8 = Ansys Additive Suite
- 9 = Ansys Composite Cure Simulation
- 10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
- 11 = Ansys SPEOS
- 12 = Ansys SPEOS & Ansys SPEOS for NX
- 13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
- DMP = Distributed-memory parallel
- SMP = Shared-memory parallel
- MAPDL = Mechanical APDL
- Explicit = Autodyn
- RBD = Rigid Body Dynamics
- Aqwa = Aqwa

/ ADDITIVE MANUFACTURING	ADDITIVE PRINT	ADDITIVE SUITE							
ADDITIVE PRINT									
Stress-Based Automatically Generated Supports	●	●							
Part Distortion and Residual Stress (as-built)	●	●							
Directional Part and Support Removal	●	●							
Part Distortion and Residual Stress after Baseplate Cut-Off and/or Support Removal	●	●							
Distortion Compensation	●	●							
Recoater Interference Detection	●	●							
Identification of High Strain (Crack) Locations	●	●							
Input Strain Hardening Factor	●	●							
Import of STL Supports	●	●							
Subvoxel Material Density Assignment	●	●							
Layer by Layer Stress, Distortion and Blade Crash Visualizations	●	●							
Build File Readers for Multiple AM Machines	●	●							
Auto Queue Multiple Successive Simulations	●	●							
Additive Print to Workbench Additive Transfer for Post Processing	●	●							
ADDITIVE SCIENCE									
Meltpool Dimensions		●							
Detailed Thermal History		▲							
% Lack of Fusion Porosity		●							
Sensor Measurement Predictions		▲							
Ability to Add User-Define Materials		●							
Material Tuning Wizard		▲							
Microstructure Prediction		●							
Parallel Solving of 2D Microstructure		●							

- 1 = Ansys nCode DesignLife Products
- 2 = Ansys Fluent
- 3 = Ansys DesignXplorer
- 4 = Ansys SpaceClaim
- 5 = Ansys Customization Suite (ACS)
- 6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
- 7 = Ansys Granta Materials Data for Simulation
- 8 = Ansys Additive Suite
- 9 = Ansys Composite Cure Simulation
- 10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
- 11 = Ansys SPEOS
- 12 = Ansys SPEOS & Ansys SPEOS for NX
- 13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
- DMP = Distributed-memory parallel
- SMP = Shared-memory parallel
- MAPDL = Mechanical APDL
- Explicit = Autodyn
- RBD = Rigid Body Dynamics
- Aqwa = Aqwa

/ MATERIALS	GRANTA MI ENTERPRISE	GRANTA MI PRO	GRANTA SELECTOR	GRANTA EDUPACK	MATERIALS DATA FOR SIMULATION				
MATERIALS DATA MANAGEMENT									
Granta MI Database - "Gold Source" System to Store Corporate Materials Information	●	●							
Manage Specialist Materials Data Types	●	●							
Manage Meta-Data and Context for Materials	●								
Traceability for All Materials Data	●	●							
Favorites List: Personal, Public	●	●	▲	▲					
Access Control	●	▲							
Version Control	●								
Multiple Unit System Support	●	●	●	●	●				
Admin UI to Setup and Configure Database	●								
Template Data Structures for Key Materials Use Cases: Metals, Composites, Additive Manufacturing	●								
Template for Simulation		●							
Web App for Fast Upload and Export of Materials Data	●	●							
Browse Materials Data	●	●	●	●					
Edit and Update Materials Data	●	●	▲	▲					
Search and Query Materials Data	●	●	●	●					
Represent Property Data in Interactive Charts	●	▲	●	●					
Comparison Tables and Comparison Charts	●	▲	●	●					
Generate Reports on Selected Materials Records	●								
Export Data to Excel and Third Party Software	●	▲	●	●					
Personalize System Homepages and User Profiles	●								
Configure Web App UI for Specific User Groups	●								
Private Cloud with Azure and AWS	●	●							
Single Sign On	●	●							
Ansys Material Calibration	●	●							

- 1 = Ansys nCode DesignLife Products
- 2 = Ansys Fluent
- 3 = Ansys DesignXplorer
- 4 = Ansys SpaceClaim
- 5 = Ansys Customization Suite (ACS)
- 6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
- 7 = Ansys Granta Materials Data for Simulation
- 8 = Ansys Additive Suite
- 9 = Ansys Composite Cure Simulation
- 10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
- 11 = Ansys SPEOS
- 12 = Ansys SPEOS & Ansys SPEOS for NX
- 13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
- DMP = Distributed-memory parallel
- SMP = Shared-memory parallel
- MAPDL = Mechanical APDL
- Explicit = Autodyn
- RBD = Rigid Body Dynamics
- Aqwa = Aqwa

/ MATERIALS	GRANTA MI ENTERPRISE	GRANTA MI PRO	GRANTA SELECTOR	GRANTA EDUPACK	MATERIALS DATA FOR SIMULATION
MATERIALS DATA ANALYSIS					
Interactive Plotting of Data: Scatter, Contour, Error Bar, Surface, Plotyy, Semilogx, Semilogy, Loglog	●				
Custom Curve Fitting	●				
Cross-Table Comparisons of Materials Data	●				
Scripting Toolkit for Python	●				
Machine Learning	●				
DATA FLOW MANAGEMENT					
Design and develop material data flow	●				
Execute material data flows - Processes, Approvals, Notifications	●				
INTEGRATION WITH CAD, CAE, PLM					
Ansys Workbench	●	●	▲	▲	■
Ansys Electronics Desktop	●	●			■
Ansys Discovery	●	●	▲	▲	■
Ansys LS-DYNA	●				
Ansys Minerva	●				
Ansys optiSLang	●				
Abaqus	●	●			
ANSA	●				
HyperMesh	●	●			
Creo	●	●			
NX & Simcenter 3D	●	●			
Windchill	●				
Teamcenter	●				
Material Card Connect - Automated File Export	●				
File Export (CATIA v5, SOLIDWORKS, and others)	●	▲	▲	▲	
RESTRICTED SUBSTANCES					
Data Structures to Support Restricted Substance Analytics, Store Specs, Materials, Legislations, Substances, Parts	●				
Report on Restricted Substance Risk for Materials and Process Portfolio	●				

- 1 = Ansys nCode DesignLife Products
- 2 = Ansys Fluent
- 3 = Ansys DesignXplorer
- 4 = Ansys SpaceClaim
- 5 = Ansys Customization Suite (ACS)
- 6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
- 7 = Ansys Granta Materials Data for Simulation
- 8 = Ansys Additive Suite
- 9 = Ansys Composite Cure Simulation
- 10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
- 11 = Ansys SPEOS
- 12 = Ansys SPEOS & Ansys SPEOS for NX
- 13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
- DMP = Distributed-memory parallel
- SMP = Shared-memory parallel
- MAPDL = Mechanical APDL
- Explicit = Autodyn
- RBD = Rigid Body Dynamics
- Aqwa = Aqwa

/ MATERIALS	GRANTA MI ENTERPRISE	GRANTA MI PRO	GRANTA SELECTOR	GRANTA EDUPACK	MATERIALS DATA FOR SIMULATION
RESTRICTED SUBSTANCES					
Build and Edit Bills of Materials within a Web App	●				
At-a-Glance Restricted Substance Compliance for a BoM	▲				
Run Reports Across Multiple BoMs	▲				
Integrate Restricted Substance Reporting with PLM, CAD	▲				
GRANTA MI - ADDITIVE					
Traceability and Capture of Additive Manufacturing Data	●				
AM Data Analytics Including Machine Learning	●				
Integration with CAD CAE and PLM Systems	●				
MATERIALS SELECTION & RELATED TOOLS					
Reference Data for Materials Selection on PC/Laptop			●	●	
Interactive 'Ashby Charts' of Materials Property Space	▲		●	●	
Systematic Materials Selection Methodology			●	●	
Filter Materials Based on Property Profile	●	●	●	●	
Filter Materials Based on Links to Other Materials / Processes / Objects	▲		●	●	
Materials Substitution and Equivalency - 'Find Similar'			●	●	
Performance Index Finder			●	●	
Engineering Solver - Convert Engineering Requirements to Materials Properties			●	●	
Synthesizer - Predict Properties of Hybrid Materials			●	●	
Part Cost Estimator			●	●	
Selection Reports and Export of Charts for Presentations			●	●	
Eco Audit for a Product or Conceptual Design			●	●	
Early stage batter pack design, configuration and performance evaluation - incl. battery cells database			●	●	
DATA LIBRARY FOR INDUSTRY					
Core MaterialUniverse™ Data	●	●	●		▲
Core JAHM Curve Data	●		●		
Advanced Metals Data	■		■		

- 1 = Ansys nCode DesignLife Products
- 2 = Ansys Fluent
- 3 = Ansys DesignXplorer
- 4 = Ansys SpaceClaim
- 5 = Ansys Customization Suite (ACS)
- 6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
- 7 = Ansys Granta Materials Data for Simulation
- 8 = Ansys Additive Suite
- 9 = Ansys Composite Cure Simulation
- 10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
- 11 = Ansys SPEOS
- 12 = Ansys SPEOS & Ansys SPEOS for NX
- 13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
- DMP = Distributed-memory parallel
- SMP = Shared-memory parallel
- MAPDL = Mechanical APDL
- Explicit = Autodyn
- RBD = Rigid Body Dynamics
- Aqwa = Aqwa

/ MATERIALS	GRANTA MI ENTERPRISE	GRANTA MI PRO	GRANTA SELECTOR	GRANTA EDUPACK	MATERIALS DATA FOR SIMULATION				
DATA LIBRARY FOR INDUSTRY									
Advanced Polymers Data	■		■						
Advanced Composites Data	■		■						
Advanced Medical Data	■		■						
Advanced Aero Data	■	■	■						
Advanced ESDU Aero Alloys	■		■						
Advanced Additive Manufacturing Data	■		■						
Advanced Eco Design	■		■						
Advanced Electromagnetic Data	■	■	■		●				
TEACHING RESOURCES									
Granta EduPack Level 1-3 Teaching Databases				●					
The Elements Teaching Database				●					
Materials Science and Engineering Teaching Database				●					
Sustainability Teaching Database				●					
Bioengineering Teaching Database				●					
Architecture Teaching Database				●					
Lecture units				●					
Student exercises				●					
Videos				●					
Micro-Projects				●					
White Papers				●					
Case Studies				●					
Active Learning Toolkits				●					
Data Booklets				●					
Sample Project Files				●					
Phase Diagram Tool				●					
Medical Devices Teaching Database				●					
Design Teaching Database				●					

- 1 = Ansys nCode DesignLife Products
- 2 = Ansys Fluent
- 3 = Ansys DesignXplorer
- 4 = Ansys SpaceClaim
- 5 = Ansys Customization Suite (ACS)
- 6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
- 7 = Ansys Granta Materials Data for Simulation
- 8 = Ansys Additive Suite
- 9 = Ansys Composite Cure Simulation
- 10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
- 11 = Ansys SPEOS
- 12 = Ansys SPEOS & Ansys SPEOS for NX
- 13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
- DMP = Distributed-memory parallel
- SMP = Shared-memory parallel
- MAPDL = Mechanical APDL
- Explicit = Autodyn
- RBD = Rigid Body Dynamics
- Aqwa = Aqwa

/ FLUIDS	CFD Pro	CFD Premium	CFD Enterprise	BladeModeler	Vista TF
FLUENT CAPABILITIES					
Steady-State Flow	●	●	●		
Transient Flow	●	●	●		
2D and 3D Flow	●	●	●		
Compressible and Incompressible Flow	●	●	●		
Customizable Material Properties	●	●	●		
Non-Newtonian Viscosity	●	●	●		
Real fluids models (steam, refrigerants, cryogenics, NIST data)		●	●		
Pressure-Based Solver	●	●	●		
Density-Based Solver		●	●		
Native Multi-GPU Solver			●		
Coupled and Segregated Solvers	●	●	●		
Subsonic Flow	●	●	●		
Supersonic and Hypersonic Flow		●	●		
Turbulence – RANS models	●	●	●		
Turbulence - LES/SAS/DES		●	●		
Heat Transfer - Natural Convection, Conduction and CHT	●	●	●		
Heat Transfer - Shell Conduction		●	●		
Thermal Radiation - Participating & Transparent Media		●	●		
ECAD Import for PCB Thermal Modeling		●	●		
Expressions, Inc. Functions of Solution Values	●	●	●		
Flow-Drive Solid Motion (6-DOF)		●	●		
Porous Media	●	●	●		
Reduced Order Model (ROM) creation		●	●		
Dynamic/Moving-Deforming Mesh		●	●		
Overset Mesh		●	●		
Dynamic Solution-Adaptive Mesh Refinement		●	●		

- 1 = Ansys nCode DesignLife Products
- 2 = Ansys Fluent
- 3 = Ansys DesignXplorer
- 4 = Ansys SpaceClaim
- 5 = Ansys Customization Suite (ACS)
- 6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
- 7 = Ansys Granta Materials Data for Simulation
- 8 = Ansys Additive Suite
- 9 = Ansys Composite Cure Simulation
- 10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
- 11 = Ansys SPEOS
- 12 = Ansys SPEOS & Ansys SPEOS for NX
- 13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
- DMP = Distributed-memory parallel
- SMP = Shared-memory parallel
- MAPDL = Mechanical APDL
- Explicit = Autodyn
- RBD = Rigid Body Dynamics
- Aqwa = Aqwa

/ FLUIDS	CFD Pro	CFD Premium	CFD Enterprise	BladeModeler	Vista TF
FLUENT CAPABILITIES					
Fan Model	●	●	●		
Virtual Blade Model		●	●		
Inert and Massless Particle Tracking	●	●	●		
Coupled Particle Tracking (with Mass)		●	●		
Wall Film Modeling		●	●		
Macroscopic Particle Model		●	●		
Reacting/Combusting Particles		●	●		
Particle Break-Up and Coalescence		●	●		
Dense Particle Coupling (DDPM) and Granular Particle modeling		●	●		
Wall Erosion Modeling		●	●		
Discrete Element Model (DEM)		●	●		
Free Surface VOF model		●	●		
Regime change between particle and free surface (VOF <-> DPM)		●	●		
Multiphase flow modeling		●	●		
Complex Multiphase Regime Transitions		●	●		
Surface Tension		●	●		
Gas – Liquid – Solid Phase Change models, including Cavitation, Boiling, Evaporation, Condensation, Solidification and Melting		●	●		
Reactions Between Fluid Phases		●	●		
Non-reacting Multicomponent Flow/Species Transport	●	●	●		
Reacting Multicomponent Flow/Species Transport		●	●		
Extensive Combustion modeling including FGM		●	●		
Finite Rate Chemistry modeling		●	●		
Pollutants and Soot Modeling		●	●		
Ability to use Model Fuel Library Reaction Mechanisms		●	●		
Comprehensive Surface-Kinetics		●	●		
Flamelet Table Generation		●	●		

- 1 = Ansys nCode DesignLife Products
- 2 = Ansys Fluent
- 3 = Ansys DesignXplorer
- 4 = Ansys SpaceClaim
- 5 = Ansys Customization Suite (ACS)
- 6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
- 7 = Ansys Granta Materials Data for Simulation
- 8 = Ansys Additive Suite
- 9 = Ansys Composite Cure Simulation
- 10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
- 11 = Ansys SPEOS
- 12 = Ansys SPEOS & Ansys SPEOS for NX
- 13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
- DMP = Distributed-memory parallel
- SMP = Shared-memory parallel
- MAPDL = Mechanical APDL
- Explicit = Autodyn
- RBD = Rigid Body Dynamics
- Aqwa = Aqwa

/ FLUIDS	CFD Pro	CFD Premium	CFD Enterprise	BladeModeler	Vista TF
FLUENT CAPABILITIES					
Virtual cooling hole models (effusion and blade film cooling)		●	●		
Electrochemistry modeling for Li-ion Batteries		●	●		
Battery swelling modeling		●	●		
Battery life modeling		●	●		
Fuel Cell modeling		●	●		
Multiple Stationary & Rotating Reference Frames	●	●	●		
Periodic Interfaces		●	●		
Mixing Plane/Stage Frame Change Interface		●	●		
Sliding-Mesh/Transient Rotor-Stator Frame Change Interface		●	●		
Pitch Change across Frame Change Interfaces		●	●		
Aerodynamic damping (Blade Flutter)		●	●		
Dedicated Aerodynamics workspace (Fluent Aero)			●		
In-flight Aircraft Icing modeling			●		
Adjoint Solver for Shape Optimization		●	●		
Parameter-driven mesh morphing and optimization		●	●		
Parameters	●	●	●		
Design Point Studies	●	●	●		
Design of Experiments	●	●	●		
Local Parallel Solving	●	●	●		
Distributed Parallel Solving		●	●		
Batch solving		●	●		
Parallel Solving on Cloud launched from Desktop		●	●		
Workbench Integration		●	●		
Simulation Reports	●	●	●		
Functional Mockup Unit (FMU) Coupling		■	■		
Fluid Structure Interaction (FSI) with Ansys Mechanical		■	■		

- 1 = Ansys nCode DesignLife Products
- 2 = Ansys Fluent
- 3 = Ansys DesignXplorer
- 4 = Ansys SpaceClaim
- 5 = Ansys Customization Suite (ACS)
- 6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
- 7 = Ansys Granta Materials Data for Simulation
- 8 = Ansys Additive Suite
- 9 = Ansys Composite Cure Simulation
- 10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
- 11 = Ansys SPEOS
- 12 = Ansys SPEOS & Ansys SPEOS for NX
- 13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
- DMP = Distributed-memory parallel
- SMP = Shared-memory parallel
- MAPDL = Mechanical APDL
- Explicit = Autodyn
- RBD = Rigid Body Dynamics
- Aqwa = Aqwa

/ FLUIDS	CFD Pro	CFD Premium	CFD Enterprise	BladeModeler	Vista TF
FLUENT CAPABILITIES					
Fluid Thermal Deformation with Ansys Mechanical		■	■		
Built-in FEA solver for Fluid-Structural and Fluid-Thermal Stress Coupling		●	●		
Fluid Electro-Thermal Interaction		■	■		
Electromechanical Thermal Management		■	■		
Aero-optics		■	■		
Aero Acoustics and Vibro Acoustics		●	●		
Acoustic-Structural		●	●		
Fluid Magnetohydrodynamics (MHD)		●	●		
FLUENT MESHING CAPABILITIES					
Polyhedral, Poly-Hexcore, Hexcore, Tet and Prism meshing	●	●	●		
Mosaic-Enabled Meshing Technology	●	●	●		
Task-Based Workflow - Watertight Geometries	●	●	●		
Task-Based Workflow - Fault Tolerant Geometries		●	●		
Parallel Mesh Generation	●	●	●		
Wrap meshing		●	●		
Rapid Octree meshing		●	●		
CFX CAPABILITIES					
Steady-State Flow		●	●		
Transient Flow		●	●		
Customizable Material Properties		●	●		
Non-Newtonian Viscosity		●	●		
Real fluids models (steam, refrigerants, cryogenics, NIST data)		●	●		
Flow-Drive Solid Motion (6-DOF)		●	●		
Pressure-Based Coupled Solver		●	●		
Expressions, inc. functions of solution values		●	●		
Dynamic/Moving-Deforming Mesh		●	●		

- 1 = Ansys nCode DesignLife Products
- 2 = Ansys Fluent
- 3 = Ansys DesignXplorer
- 4 = Ansys SpaceClaim
- 5 = Ansys Customization Suite (ACS)
- 6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
- 7 = Ansys Granta Materials Data for Simulation
- 8 = Ansys Additive Suite
- 9 = Ansys Composite Cure Simulation
- 10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
- 11 = Ansys SPEOS
- 12 = Ansys SPEOS & Ansys SPEOS for NX
- 13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
- DMP = Distributed-memory parallel
- SMP = Shared-memory parallel
- MAPDL = Mechanical APDL
- Explicit = Autodyn
- RBD = Rigid Body Dynamics
- Aqwa = Aqwa

/ FLUIDS	CFD Pro	CFD Premium	CFD Enterprise	BladeModeler	Vista TF
CFX CAPABILITIES					
Compressible and Incompressible Flow		●	●		
Porous Media		●	●		
Subsonic Flow		●	●		
Supersonic Flow		●	●		
Turbulence – RANS models		●	●		
Turbulence - LES/SAS/DES		●	●		
Heat Transfer - Natural Convection, Conduction and CHT		●	●		
Thermal Radiation - Participating & Transparent Media		●	●		
Particle Tracking (Discrete Phase Modeling)		●	●		
Liquid Droplets (including Evaporation)		●	●		
Reacting/Combusting Particles		●	●		
Wall Erosion Modeling		●	●		
Free Surface VOF model		●	●		
Surface Tension		●	●		
Multiphase flow modeling (Eulerian)		●	●		
Gas – Liquid – Solid Phase Change models, including Cavitation, Boiling, Evaporation and Condensation		●	●		
Reactions Between Fluid Phases		●	●		
Multicomponent Flow/Species Transport		●	●		
Combustion Modeling		●	●		
Acoustics / Aerodynamic noise		●	●		
Blade film cooling model		●	●		
Multiple Stationary & Rotating Reference Frames		●	●		
Periodic Interfaces		●	●		
Mixing Plane / Stage Frame Change Interface		●	●		
Transient Rotor-Stator Frame Change Interface		●	●		
Pitch Change Across Frame Change Interfaces		●	●		

- 1 = Ansys nCode DesignLife Products
- 2 = Ansys Fluent
- 3 = Ansys DesignXplorer
- 4 = Ansys SpaceClaim
- 5 = Ansys Customization Suite (ACS)
- 6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
- 7 = Ansys Granta Materials Data for Simulation
- 8 = Ansys Additive Suite
- 9 = Ansys Composite Cure Simulation
- 10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
- 11 = Ansys SPEOS
- 12 = Ansys SPEOS & Ansys SPEOS for NX
- 13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
- DMP = Distributed-memory parallel
- SMP = Shared-memory parallel
- MAPDL = Mechanical APDL
- Explicit = Autodyn
- RBD = Rigid Body Dynamics
- Aqwa = Aqwa

/ FLUIDS	CFD Pro	CFD Premium	CFD Enterprise	BladeModeler	Vista TF
CFX CAPABILITIES					
Pitch Change across Frame Change Interfaces		●	●		
Aerodynamic Damping (Blade Flutter Analysis)		●	●		
Transient Blade Row		●	●		
Time Transformation		●	●		
Fourier Transformation		●	●		
Harmonic Analysis		●	●		
Automated Speedline / Performance Map creation		●	●		
Local and Distributed Parallel Solving		●	●		
Parallel Solving on Cloud launched from Desktop		●	●		
Workbench Integration		●	●		
Functional Mockup Unit (FMU) Coupling		●	●		
Fluid Structure Interaction (FSI) with Ansys Mechanical		■	■		
Fluid Thermal Deformation with Ansys Mechanical		■	■		
Fluid Electro-Thermal Interaction		■	■		
Electromechanical Thermal Management		●	●		
Fluid Magnetohydrodynamics (MHD)		●	●		
TURBOGRID CAPABILITIES					
Automatic block-structured Hex meshing		●	●		
Predefined block topologies for blades		●	●		
Axial, Radial and Mixed machines		●	●		
Splitter blades		●	●		
Compressors, Fans, Turbines, Pumps		●	●		
Rounded and sharp leading/trailing edges		●	●		
Partial tip clearances		●	●		
Automated hybrid meshing for secondary flow paths, complex tips, partial tip and hub gaps (buttons), and blends		●	●		
Automatic addition of approximate blends/filletts		●	●		

- 1 = Ansys nCode DesignLife Products
- 2 = Ansys Fluent
- 3 = Ansys DesignXplorer
- 4 = Ansys SpaceClaim
- 5 = Ansys Customization Suite (ACS)
- 6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
- 7 = Ansys Granta Materials Data for Simulation
- 8 = Ansys Additive Suite
- 9 = Ansys Composite Cure Simulation
- 10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
- 11 = Ansys SPEOS
- 12 = Ansys SPEOS & Ansys SPEOS for NX
- 13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
- DMP = Distributed-memory parallel
- SMP = Shared-memory parallel
- MAPDL = Mechanical APDL
- Explicit = Autodyn
- RBD = Rigid Body Dynamics
- Aqwa = Aqwa

/ FLUIDS	CFD Pro	CFD Premium	CFD Enterprise	BladeModeler	Vista TF
TURBOGRID CAPABILITIES					
Support for multiple input formats (CAD, NDF, profiles/curves)		●	●		
Automatic creation of high-fidelity CAD from profile/curve input		▲	▲		
Mesh refinement maintaining consistent mesh topology		●	●		
BLADEGEN AND BLADEEDITOR CAPABILITIES					
Turbomachinery blade design				●	
Turbo-specific CAD geometry creation				●	
Single CAD definition for CFD and FEA				●	
Flow Path CAD geometry creation				●	
Blade CAD geometry creation				●	
Splitter Blade CAD geometry creation				●	
Create high fidelity variable radius blade blends				●	
Flank milled blades				●	
VISTA CAPABILITIES					
Meanline / 1D Turbomachinery Design				●	
Centrifugal Compressor Design (CCD)				●	
Centrifugal Pump Design (CPD)				●	
Radial Turbine Design (RTD)				●	
Axial Fan Design (AFD)				●	
Through-Flow Quasi-2D Analysis for Turbomachinery Design					●
Centrifugal Compressor Map creation (CCM)					●
CFD POST CABILITIES					
Simulation Reports		●	●		
Turbo-specific Surface and Line locators		●	●		
Turbo coordinate systems		●	●		
Turbo macros and calculations		●	●		
Multiple case file comparison		●	●		

- 1 = Ansys nCode DesignLife Products
- 2 = Ansys Fluent
- 3 = Ansys DesignXplorer
- 4 = Ansys SpaceClaim
- 5 = Ansys Customization Suite (ACS)
- 6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
- 7 = Ansys Granta Materials Data for Simulation
- 8 = Ansys Additive Suite
- 9 = Ansys Composite Cure Simulation
- 10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
- 11 = Ansys SPEOS
- 12 = Ansys SPEOS & Ansys SPEOS for NX
- 13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
- DMP = Distributed-memory parallel
- SMP = Shared-memory parallel
- MAPDL = Mechanical APDL
- Explicit = Autodyn
- RBD = Rigid Body Dynamics
- Aqwa = Aqwa

/ FLUIDS	CFD Pro	CFD Premium	CFD Enterprise	BladeModeler	Vista TF
CFD POST CAPABILITIES					
Point, Line, Surface and Volume locators		●	●		
GPU accelerated animations		●	●		
Keyframe animations		●	●		
Charts		●	●		
Contours, Vectors, Streamlines, Particle Tracks		●	●		
Expressions and quantitative calculations		●	●		
Operating Map post-processing		●	●		
Mesh quality metrics and calculations		●	●		
Polyflow Results Post-processing	●	●	●		
POLYFLOW CAPABILITIES					
Viscoelasticity and Yield Stress models		●	●		
Extrusion & Co-extrusion modeling	●	●	●		
Blow Molding modeling	●	●	●		
Fiber Spinning modeling	●	●	●		
Thermoforming modeling	●	●	●		
Screw extruder modeling		●	●		
2D and 3D forming		●	●		
Mixers and Filling modeling		●	●		
FORTE CAPABILITIES					
Automatic On-the-fly Mesh Generation with Dynamic Refinement		●	●		
Species Transport		●	●		
Finite Rate Chemistry		●	●		
Pollutants and Soot Modeling		●	●		
Sparse Chemistry Solver Dynamic Cell Clustering Dynamic Adaptive Chemistry		●	●		
Ability to Use Model Fuel Library Mechanisms		●	●		
Flame-speed from Fuel-Component Library		●	●		

- 1 = Ansys nCode DesignLife Products
- 2 = Ansys Fluent
- 3 = Ansys DesignXplorer
- 4 = Ansys SpaceClaim
- 5 = Ansys Customization Suite (ACS)
- 6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
- 7 = Ansys Granta Materials Data for Simulation
- 8 = Ansys Additive Suite
- 9 = Ansys Composite Cure Simulation
- 10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
- 11 = Ansys SPEOS
- 12 = Ansys SPEOS & Ansys SPEOS for NX
- 13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
- DMP = Distributed-memory parallel
- SMP = Shared-memory parallel
- MAPDL = Mechanical APDL
- Explicit = Autodyn
- RBD = Rigid Body Dynamics
- Aqwa = Aqwa

/ FLUIDS	CFD Pro	CFD Premium	CFD Enterprise	BladeModeler	Vista TF
FORTE CAPABILITIES					
DPIK Spark-Ignition Model		●	●		
Internal Combustion Engine Specific Solution		●	●		
Ge-rotor, screw compressor and scroll compressor modeling		●	●		
CHEMKIN-PRO CAPABILITIES					
Species Transport			●		
Finite Rate Chemistry			●		
Multiphase Reactions			●		
Pollutants and Soot Modeling			●		
Sparse Chemistry Solver Dynamic Cell Clustering Dynamic Adaptive Chemistry			●		
Ability to Use Model Fuel Library Mechanisms			●		
Flame-speed from Fuel-Component Library			●		
Internal Combustion Engine Specific Solution			●		
0-D/1-D/2-D Reactor Models and Reactor Networks			●		
Plasma Reactions			●		
Comprehensive Surface-Kinetics			●		
Chemical and Phase Equilibrium			●		
Flamelet Table Generation			●		
Flame speed and Ignition Table Generation			●		
Reaction Sensitivity, Uncertainty and Path Analysis			●		
Surrogate Blend Formulation and Optimization			●		
Mechanism Reduction			●		
Reaction Workbench			●		
Model Fuel Library		●	●		
FENSAP-ICE CAPABILITIES					
Simulation of Standard Droplets, SLD and Ice Crystals			●		
Inclusion of Vapor/Humidity Effects on Icing			●		

- 1 = Ansys nCode DesignLife Products
- 2 = Ansys Fluent
- 3 = Ansys DesignXplorer
- 4 = Ansys SpaceClaim
- 5 = Ansys Customization Suite (ACS)
- 6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
- 7 = Ansys Granta Materials Data for Simulation
- 8 = Ansys Additive Suite
- 9 = Ansys Composite Cure Simulation
- 10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
- 11 = Ansys SPEOS
- 12 = Ansys SPEOS & Ansys SPEOS for NX
- 13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
- DMP = Distributed-memory parallel
- SMP = Shared-memory parallel
- MAPDL = Mechanical APDL
- Explicit = Autodyn
- RBD = Rigid Body Dynamics
- Aqwa = Aqwa

/ FLUIDS	CFD Pro	CFD Premium	CFD Enterprise	BladeModeler	Vista TF
FENSAP-ICE CAPABILITIES					
Icing Environments of Appendices C, O (SLD) and D (Ice Crystals)			●		
Pre-Defined Droplet Size Distributions			●		
Simulation of Rime, Glaze and Mixed Icing			●		
Single and Multi-Shot Icing Simulations with Mesh Deformation for Prediction of Ice Accretion and Aerodynamic Performance Degradation			●		
Single and Multi-Shot Icing Simulations with Automatic Re-Meshing for Prediction of Ice Accretion and Aerodynamic Performance Degradation			●		
Conjugate Heat Transfer (CHT) for Anti and De-Icing Simulations			▲		
Ice Cracking			●		
Ice Shedding			●		
ACCESS TO ADDITIONAL APPLICATIONS					
DesignModeler				●	
Discovery Modeling / SpaceClaim		●	●		
Ansys Meshing (Workbench Meshing)	●	●	●		
ICEM CFD		●	●		
EnSight Enterprise		●	●		
DesignXplorer		●	●		

- 1 = Ansys nCode DesignLife Products
- 2 = Ansys Fluent
- 3 = Ansys DesignXplorer
- 4 = Ansys SpaceClaim
- 5 = Ansys Customization Suite (ACS)
- 6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
- 7 = Ansys Granta Materials Data for Simulation
- 8 = Ansys Additive Suite
- 9 = Ansys Composite Cure Simulation
- 10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
- 11 = Ansys SPEOS
- 12 = Ansys SPEOS & Ansys SPEOS for NX
- 13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
- DMP = Distributed-memory parallel
- SMP = Shared-memory parallel
- MAPDL = Mechanical APDL
- Explicit = Autodyn
- RBD = Rigid Body Dynamics
- Aqwa = Aqwa

/ AUTONOMOUS VEHICLE SIMULATION	AVxcelerate for Headlamp	AVxcelerate for Sensors							
HUMAN VISION									
Glare Simulation	●								
HEADLAMP SIMULATION									
Advanced Lighting System	●	●							
Lamp Control	●	●							
Virtual Measurement	●								
Glaring Simulation	●								
IIHS / C-IASI Regulation Validation	●								
SENSORS SIMULATION									
Ground-Truth Sensor	▲	▲							
Optical Camera Sensor		●							
LiDAR Sensor		●							
Radar Sensor		●							
Multi Sensors		●							
ENVIRONMENT SIMULATION									
Basic Driving Scenario	●	■							
Advanced Driving Scenario	■	■							
Advanced Vehicle Dynamic	■	■							
MiL/SiL Connectivity	●	●							
HiL Connectivity		●							
PREPARATION									
Environment Preparation		●							
Headlamp Preparation	●								
Sensor Models Preparation		●							
Libraries of Assets	●	●							

- 1 = Ansys nCode DesignLife Products
- 2 = Ansys Fluent
- 3 = Ansys DesignXplorer
- 4 = Ansys SpaceClaim
- 5 = Ansys Customization Suite (ACS)
- 6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
- 7 = Ansys Granta Materials Data for Simulation
- 8 = Ansys Additive Suite
- 9 = Ansys Composite Cure Simulation
- 10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
- 11 = Ansys SPEOS
- 12 = Ansys SPEOS & Ansys SPEOS for NX
- 13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
- DMP = Distributed-memory parallel
- SMP = Shared-memory parallel
- MAPDL = Mechanical APDL
- Explicit = Autodyn
- RBD = Rigid Body Dynamics
- Aqwa = Aqwa

/ DIGITAL TWIN		TWIN BUILDER																		
SYSTEM SIMULATION, VALIDATION AND DIGITAL TWINS																				
Integrated Graphical Modeling Environment	●																			
Standard Modeling Languages and Exchange Formats	●																			
Mult-domain Systems Modeler	●																			
Extensive OD Application-Specific Libraries	●																			
3rd Party Tool Integrations	●																			
3D ROM	●																			
Embedded Software Integration	●																			
Mult-Domain System Simulation	●																			
Rapid HMI Prototyping	●																			
System Optimization	●																			
XIL Integration	●																			
IIOT Connectivity (Microsoft® Azure® IoT, Microsoft Azure Digital Twins, PTC ThingWorx®, SAP Predictive Asset Insights, Rockwell Automation Emulate 3D and Rockwell Studio 5000)	●																			
Digital Twin Runtime Deployment	●																			
Hybrid Analytics	●																			

- 1 = Ansys nCode DesignLife Products
- 2 = Ansys Fluent
- 3 = Ansys DesignXplorer
- 4 = Ansys SpaceClaim
- 5 = Ansys Customization Suite (ACS)
- 6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
- 7 = Ansys Granta Materials Data for Simulation
- 8 = Ansys Additive Suite
- 9 = Ansys Composite Cure Simulation
- 10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
- 11 = Ansys SPEOS
- 12 = Ansys SPEOS & Ansys SPEOS for NX
- 13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
- DMP = Distributed-memory parallel
- SMP = Shared-memory parallel
- MAPDL = Mechanical APDL
- Explicit = Autodyn
- RBD = Rigid Body Dynamics
- Aqwa = Aqwa

/ EMBEDDED SOFTWARE	SCADE Architect	SCADE Suite	SCADE Display	SCADE Test	SCADE Lifecycle	SCADE for A661 Applications	SCADE Vision			
MODEL-BASED SYSTEMS ENGINEERING										
Systems Requirements Analysis	▲	▲								
System & Software Architecture Design	●	●								
SysML Models Import	●	●								
Collaborative Work through Libraries and Model Synchronizations	●	●								
Model Checks	●	●								
Model Diff/Merge	●	●								
System/Software Bi-Directional Sync	●	●								
Model Sharing and IP Protection	●	●								
Model-Based Interface Control Document Production	●	●								
Configurable for Industry Standards (IMA, AUTOSAR, etc.)	●	●								
Product Configuration for Automotive Developers	●	●								
EMBEDDED CONTROL & HMI SOFTWARE										
Traceability with Requirement Management Tools	●	●	●	●	●	●	●			
Automatic Document Generation	●	●	●	●	●	●	●			
Data Flow and State Machine Design and Simulation Capabilities		●					●			
Extensive Set of Libraries		●	●	●	●		●			
Record and Playback Scenarios		●	●	●						
Plant Model co-Simulation including FMI		●	●	●			●			
On Host and on Target Testing		●	●	●						
Model and Code Structural Coverage		●	●	●			●			
AUTOSAR-Compliant Code Generation		●								
Formal Verification		●								
Timing and Stack Optimization		●								
Worst Case Execution Time Estimates on Target		●								
Integration with Real-Time Operating Systems		●								

- 1 = Ansys nCode DesignLife Products
- 2 = Ansys Fluent
- 3 = Ansys DesignXplorer
- 4 = Ansys SpaceClaim
- 5 = Ansys Customization Suite (ACS)
- 6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
- 7 = Ansys Granta Materials Data for Simulation
- 8 = Ansys Additive Suite
- 9 = Ansys Composite Cure Simulation
- 10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
- 11 = Ansys SPEOS
- 12 = Ansys SPEOS & Ansys SPEOS for NX
- 13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
- DMP = Distributed-memory parallel
- SMP = Shared-memory parallel
- MAPDL = Mechanical APDL
- Explicit = Autodyn
- RBD = Rigid Body Dynamics
- Aqwa = Aqwa

/ EMBEDDED SOFTWARE	SCADE Architect	SCADE Suite	SCADE Display	SCADE Test	SCADE Lifecycle	SCADE for A661 Applications	SCADE Vision			
EMBEDDED CONTROL & HMI SOFTWARE										
Certified Code Generation for DO-178C, EN 50128, ISO26262, IEC 61508		●	●							
Certification Kits for DO-178C, EN50128, ISO 26262, IEC 61508		●	●	●	●	●				
Model-Based Prototyping and Specification of HMIs			●			●				
Support of OpenGL, OpenGL SC and OpenGL ES			●			●				
Font Management			●			●				
Optimization of Graphical Specifications			●							
Solutions for ARINC 661		●	●			●				
PERCEPTION SOFTWARE TESTING										
Preception Software Robustness Testing							●			
Triggering Conditions Identification							●			

- 1 = Ansys nCode DesignLife Products
- 2 = Ansys Fluent
- 3 = Ansys DesignXplorer
- 4 = Ansys SpaceClaim
- 5 = Ansys Customization Suite (ACS)
- 6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
- 7 = Ansys Granta Materials Data for Simulation
- 8 = Ansys Additive Suite
- 9 = Ansys Composite Cure Simulation
- 10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
- 11 = Ansys SPEOS
- 12 = Ansys SPEOS & Ansys SPEOS for NX
- 13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
- DMP = Distributed-memory parallel
- SMP = Shared-memory parallel
- MAPDL = Mechanical APDL
- Explicit = Autodyn
- RBD = Rigid Body Dynamics
- Aqwa = Aqwa

/ CONNECT	Ansys Cloud	Minerva	optiSLang Pro	optiSLang Premium	optiSLang Enterprise	ModelCenter Pro	ModelCenter Premium	ModelCenter Enterprise
LICENSING AND INSTALLATION								
Upgrade to Aras SP14		●						
Elastic Licensing	●							
Scalar Variations for Parametric Design Study				●	●			
DATA MANAGEMENT								
Data and Project Comparison		●						
Enhanced Branching		●						
Custom Digital Thread Configurability		●						
Automatic file conversion		●						
New folder widget, saved search for details list		●						
Added file support for metadata extraction		●						
Query Builder		●						
Metadata Extraction		●						
3D Viewer with Rich Exploration Options		●						
ECAD Viewer		●						
SCADE Project File Support		●						
Revision Management		●						
File Format Conversion		●						
PROCESS MANAGEMENT								
Work Request History Report		●						
New Voting Dialog		●						
Enhanced Gantt Chart		●						
Change Notice Comparison		●						
Task Completion		●						
Simulation Task Review		●						
APPLICATION MANAGEMENT								
New Applications Page Layout		●						
Publish and Deploy Apps (optiSLang supported out-of-the-box)		●						
Ansys LS-Dyna Batch Job Template		●						

- 1 = Ansys nCode DesignLife Products
- 2 = Ansys Fluent
- 3 = Ansys DesignXplorer
- 4 = Ansys SpaceClaim
- 5 = Ansys Customization Suite (ACS)
- 6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
- 7 = Ansys Granta Materials Data for Simulation
- 8 = Ansys Additive Suite
- 9 = Ansys Composite Cure Simulation
- 10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
- 11 = Ansys SPEOS
- 12 = Ansys SPEOS & Ansys SPEOS for NX
- 13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
- DMP = Distributed-memory parallel
- SMP = Shared-memory parallel
- MAPDL = Mechanical APDL
- Explicit = Autodyn
- RBD = Rigid Body Dynamics
- Aqwa = Aqwa

/ CONNECT	Ansys Cloud	Minerva	optiSLang Pro	optiSLang Premium	optiSLang Enterprise	ModelCenter Pro	ModelCenter Premium	ModelCenter Enterprise
APPLICATION MANAGEMENT								
Job Submission to Ansys HPC Cluster or Ansys Cloud		●						
Access Local Applications		●						
Run Apps without Input Files		●						
Remote Virtual Desktop		●						
INTEGRATIONS								
Ansys Electronics Desktop Add-In		●	●					
Integration with Ansys Workbench			●	●	●			
Integration with Ansys Materials Product Family		●	●	●	●			
Two-Way Integration with ModelCenter				●	●			
Integration with optiSLang		●						
German Language Support		●						
Integration with LS-OPT			●	●	●			
WORKFLOW MANAGEMENT								
Completely Secure Workflows	●							
Enhanced File Management	●							
TOOL INTEROPERABILITY								
Ability to submit HPC jobs from desktop apps to Ansys Cloud	●							
Supported running Ansys Cloud In browser interactively	●							
Support of HPC Solver Licenses	●			●	●			
Improved submission in AEDT	●							
ORCHESTRATION AND AUTOMATION								
Build and Automate Workflows				●	●			
Integrate 3rd Party Tools				●	●			
App Generation Wizard					●			
Test-Run and Desktop App				●	●			
Classic Design of Experiments			●	●	●			
Sampling and Sensitivity Analysis			●	●	●			
Robust Design Optimization			●	●	●			

- 1 = Ansys nCode DesignLife Products
- 2 = Ansys Fluent
- 3 = Ansys DesignXplorer
- 4 = Ansys SpaceClaim
- 5 = Ansys Customization Suite (ACS)
- 6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
- 7 = Ansys Granta Materials Data for Simulation
- 8 = Ansys Additive Suite
- 9 = Ansys Composite Cure Simulation
- 10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
- 11 = Ansys SPEOS
- 12 = Ansys SPEOS & Ansys SPEOS for NX
- 13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
- DMP = Distributed-memory parallel
- SMP = Shared-memory parallel
- MAPDL = Mechanical APDL
- Explicit = Autodyn
- RBD = Rigid Body Dynamics
- Aqwa = Aqwa

/ CONNECT	Ansys Cloud	Minerva	optiSLang Pro	optiSLang Premium	optiSLang Enterprise	ModelCenter Pro	ModelCenter Premium	ModelCenter Enterprise
PRODUCT IMPROVEMENT								
Scalar Meta-Modeling (including test data)			●	●	●			
Signal/Field Meta-Modeling (including sensor & 3D scan data)					●			
Modeling of Imperfect Surfaces for UQ					●			
AI for Metamodeling (including algorithms from Probaligence)					●			
Optimization & Sensitivity Analysis				●	●		●	●
Model Calibration				●	●			
Concurrent Design Point Variations				●	●			
Linux Support for DesignXplorer Algorithms				●	●			
PRODUCT ROBUSTNESS								
Robust Design & Reliability Analysis				●	●			
Reliability Importance				●	●			
Poisson Distribution for Stochastic Parameters				●	●			
DASHBOARDS AND REPORTS								
Dashboard 2.0		●						
Custom Widget Framework		●						
Bookmark Dashboards		●						
AUTOMATE ANY MODELING AND SIMULATION TOOL								
Automate File I/O tools						●	●	●
Scripting with VBScript, JScript, Java, Perl, and Python						●	●	●
Integration with 3rd Party Tools						●	●	●
AUTHOR ENGINEERING WORKFLOWS								
Sequence						●	●	●
Loop						●	●	●
If-Then Branch						●	●	●
Parallel Branch						●	●	●
Link Editor						●	●	●

- 1 = Ansys nCode DesignLife Products
- 2 = Ansys Fluent
- 3 = Ansys DesignXplorer
- 4 = Ansys SpaceClaim
- 5 = Ansys Customization Suite (ACS)
- 6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
- 7 = Ansys Granta Materials Data for Simulation
- 8 = Ansys Additive Suite
- 9 = Ansys Composite Cure Simulation
- 10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
- 11 = Ansys SPEOS
- 12 = Ansys SPEOS & Ansys SPEOS for NX
- 13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
- DMP = Distributed-memory parallel
- SMP = Shared-memory parallel
- MAPDL = Mechanical APDL
- Explicit = Autodyn
- RBD = Rigid Body Dynamics
- Aqwa = Aqwa

/ CONNECT	Ansys Cloud	Minerva	optiSLang Pro	optiSLang Premium	optiSLang Enterprise	ModelCenter Pro	ModelCenter Premium	ModelCenter Enterprise		
AUTOMATICALLY EXECUTE THE WORKFLOW										
Single Execution						●	●	●		
Multi-Run Trade Studies						●	●	●		
Run in Parallel						●	●	●		
SHARE AUTOMATED ANALYSES AND WORKFLOWS										
Remote Execution						●	●	●		
Protect Intellectual Property						●	●	●		
GAIN INSIGHT TO THE DESIGN PROBLEM										
Trade Study: Parametric Study							●	●		
Trade Study: Design of Experiments (DOE)							●	●		
Trade Study: Adaptive Design of Experiments							●	●		
Sensitivity Analysis							●	●		
VISUALIZE THE DESIGN SPACE										
2D Bar Plot							●	●		
2D Line Plot							●	●		
2D Scatter Plot							●	●		
3D Scatter Plot							●	●		
Carpet Plot							●	●		
Contour Plot							●	●		
Histogram Plot							●	●		
Interaction Effects Plot							●	●		
Main Effects Plot							●	●		
Main Effects Summary Plot							●	●		
Parallel Coordinates							●	●		
Prediction Profiler Contour Plot							●	●		
Prediction Profiler XY Plot							●	●		
Scatter Matrix							●	●		
Variable Importance Plot							●	●		
Variable Importance Summary Plot							●	●		

/ CONNECT	Ansys Cloud	Minerva	optiSLang Pro	optiSLang Premium	optiSLang Enterprise	ModelCenter Pro	ModelCenter Premium	ModelCenter Enterprise
PROBABILISTIC ANALYSIS								
Monte Carlo Analysis							●	●
DESIGN OF EXPERIMENTS (COMMON)								
Box-Behnken							●	●
Custom							●	●
Central Composite							●	●
Eighth Fractional Factorial							●	●
Face Centered Central Composite							●	●
Foldover							●	●
Franklin-Bailey 2 Level Fractional Factorial							●	●
Full Factorial							●	●
Half Factorial							●	●
Latin-Hypercube							●	●
Parameter Scan							●	●
Plackett-Buman							●	●
Selected 2 Level Fractional Factorial							●	●
Sixteenth Fractional Factorial							●	●
Taguchi 2 Level Orthogonal Array							●	●
DESIGN OF EXPERIMENTS (NORTH AMERICA ONLY)								
Noesis Adaptive DOE							●	●
DESIGN OF EXPERIMENTS (GLOBAL)								
Design Explorer Orthogonal Array							●	●
Design Explorer Orthogonal Array + LHS							●	●
CONNECT ANY ENGINEERING ANALYSIS TO SYSTEMS ARCHITECTURE MODEL								
NoMagic MagicDraw® / Cameo®						●	●	●
IBM Rhapsody®						●	●	●
PTC Windchill Modeler®						●	●	●
Vitech (Zuken) GENESYS®						●	●	●
Capella						●	●	●

- 1 = Ansys nCode DesignLife Products
- 2 = Ansys Fluent
- 3 = Ansys DesignXplorer
- 4 = Ansys SpaceClaim
- 5 = Ansys Customization Suite (ACS)
- 6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
- 7 = Ansys Granta Materials Data for Simulation
- 8 = Ansys Additive Suite
- 9 = Ansys Composite Cure Simulation
- 10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
- 11 = Ansys SPEOS
- 12 = Ansys SPEOS & Ansys SPEOS for NX
- 13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
- DMP = Distributed-memory parallel
- SMP = Shared-memory parallel
- MAPDL = Mechanical APDL
- Explicit = Autodyn
- RBD = Rigid Body Dynamics
- Aqwa = Aqwa

/ CONNECT	Ansys Cloud	Minerva	optiSLang Pro	optiSLang Premium	optiSLang Enterprise	ModelCenter Pro	ModelCenter Premium	ModelCenter Enterprise		
SIMULATE COMPLEX SYSTEM BEHAVIOR										
Execute State Machine Diagrams (Cameo®)									●	
VERIFY REQUIREMENTS										
Physical Requirements						●	●	●		
Behavioral Requirements (Cameo® and Windchill Modeler®)						●	●	●		

- 1 = Ansys nCode DesignLife Products
- 2 = Ansys Fluent
- 3 = Ansys DesignXplorer
- 4 = Ansys SpaceClaim
- 5 = Ansys Customization Suite (ACS)
- 6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
- 7 = Ansys Granta Materials Data for Simulation
- 8 = Ansys Additive Suite
- 9 = Ansys Composite Cure Simulation
- 10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
- 11 = Ansys SPEOS
- 12 = Ansys SPEOS & Ansys SPEOS for NX
- 13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
- DMP = Distributed-memory parallel
- SMP = Shared-memory parallel
- MAPDL = Mechanical APDL
- Explicit = Autodyn
- RBD = Rigid Body Dynamics
- Aqwa = Aqwa

/ SAFETY ANALYSIS	medini analyze	medini analyze for Semiconductors	medini analyze for Cybersecurity	Digital Safety Manager			
FUNCTIONAL SAFETY ANALYSIS							
Safety Concept Modeling	●	●					
Model Based Safety Analysis	●	●					
Reliability Prediction and Analysis	●	●					
Traceability and Validation Teamwork	●	●					
Integration into Engineering Environment	●	●					
Customization and Process Adaption	●	●					
Ansys Product Integration	●	●					
Reporting and Documentation	●	●					
Safety of Intended Functional Analysis	●	●					
CYBERSECURITY ANALYSIS							
Analysis Context Establishment and Asset Identification			●				
Systems Vulnerability Analysis			●				
Threat Identification			●				
Attack Trees, Attack Path Calculation and Attack Collections			●				
Threat Assessment and Treatment			●				
Requirement Analysis and Management			●				
Rich Traceability			●				
Teamwork and Integrated Task Management			●				
Reporting and Customization			●				
SAFETY MANAGEMENT							
Tool Guided Safety Planning				●			
Assignment & Assisted Reuse of Analysis Results for Safety Activities				●			
Task Based Safety Plan Execution				●			
Dashboard with KPI Monitoring and Reporting				●			

- 1 = Ansys nCode DesignLife Products
- 2 = Ansys Fluent
- 3 = Ansys DesignXplorer
- 4 = Ansys SpaceClaim
- 5 = Ansys Customization Suite (ACS)
- 6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
- 7 = Ansys Granta Materials Data for Simulation
- 8 = Ansys Additive Suite
- 9 = Ansys Composite Cure Simulation
- 10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
- 11 = Ansys SPEOS
- 12 = Ansys SPEOS & Ansys SPEOS for NX
- 13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
- DMP = Distributed-memory parallel
- SMP = Shared-memory parallel
- MAPDL = Mechanical APDL
- Explicit = Autodyn
- RBD = Rigid Body Dynamics
- Aqwa = Aqwa

/ OPTICS	Speos Pro	Speos Premium	Speos Enterprise	Speos Optical Part Design	Speos Optical Sensor Test	Speos Hud Design And Analysis	Speos Far Infrared Extension	Speos Optical Design Optimizer	OpticsBuilder	OpticStudio Professional	OpticStudio Premium	OpticStudio Enterprise		
ANSYS PRODUCTS EMBEDDED														
Ansys SpaceClaim Direct Modeler	●	●	●											
Ansys SpaceClaim Catia V5 Interface	●	●	●											
Ansys DesignXplorer	●	●	●											
Ansys License Manager	●	●	●											
GENERAL SOLVER CAPABILITIES														
Monte-Carlo Forward Ray Tracing	●	●	●											
Monte-Carlo Backward Ray Tracing		●	●											
Deterministic Simulation	▲	●	●											
Spectral Propagation	●	●	●											
Dispersion	●	●	●											
Surface Diffusion	●	●	●											
Volumic Diffusion	●	●	●											
Ambiant Material	●	●	●											
Non-Homogeneous Materials	●	●	●											
SPEOS Live Preview (GPU Acceleration)		● ¹²	● ¹²											
Speos GPU Compute (GPU Acceleration)		● ¹²	● ¹²											
Virtual BSDF			● ¹⁰											
PHOTOMETRY / RADIOMETRY														
Intensity	●	●	●											
Illuminance	●	●	●											
3D Illuminance	●	●	●											
Luminance	▲	●	●											
3D Energy Density		●	●											
360 View - Observer		●	●											
360 View - Immersive		●	●											

● Full Support ▲ Limited Capability ■ Requires more than 1 product

/ OPTICS	Speos Pro	Speos Premium	Speos Enterprise	Speos Optical Part Design	Speos Optical Sensor Test	Speos Hud Design And Analysis	Speos Far Infrared Extension	Speos Optical Design Optimizer	OpticsBuilder	OpticStudio Professional	OpticStudio Premium	OpticStudio Enterprise		
HUMAN VISION														
Dynamic Adaption			●											
Glare Simulation			●											
HDR10 Screen Support			●											
WAVELENGTH RANGE														
Visible (360nm - 830nm)	●	●	●											
UV (100nm - 360 nm)		●	●											
Near IR (830nm - 2.5um)		●	●											
Far Infra-Red (2.5um - 100um)							●							
OPTICAL DESIGN														
Parabolic Surface	● ¹²	● ¹²	● ¹²											
TIR Lens	● ¹²	● ¹²	● ¹²											
Projection Lens	● ¹²	● ¹²	● ¹²											
Optical Lens				●										
Optical Surface				●										
Light Guide				●										
Sharp Cut-Off Reflector				●										
Poly-Ellipsoidal Surface				●										
Micro Optical Stripes				●										
Freeform Lens				● ¹¹										
Honeycomb Lens				●										
OPTICAL SENSOR														
Field of View					●									
Export Sensor Grid as Geometry					●									
Camera Sensor					●									
Camera Raw Signal Export					●									
Camera Sensor Post Processing					●									
Dynamic Effects in Camera Simulation	●	●	●											
Dynamic Effects in LiDAR Simulation	●	●	●											

● Full Support ▲ Limited Capability ■ Requires more than 1 product

/ OPTICS	Speos Pro	Speos Premium	Speos Enterprise	Speos Optical Part Design	Speos Optical Sensor Test	Speos Hud Design And Analysis	Speos Far Infrared Extension	Speos Optical Design Optimizer	OpticsBuilder	OpticStudio Professional	OpticStudio Premium	OpticStudio Enterprise		
OPTICAL SENSOR														
SPEOS Lens System Importer (ZEMAX OpticStudio)					●									
LiDAR Sensor					●									
LiDAR Rotating & Scanning					●									
LIDAR Raw Time of Flight generation					●									
HEAD-UP DISPLAY														
HUD Optical Analysis						●								
HUD Optical Design						●								
HUD Visualisation						●								
SOLVER PERFORMANCES														
Default Number of Cores	4	4	4											
Parallel Solving on Local PC	●	●	●											
Parallel Solving on Cluster	●	●	●											
Parallel Solving with Ansys Cloud Launched from Desktop	●	●	●											
Ansys RSM Compatibility	●	●	●											
Multi-GPU Solving on Local PC		●	●											
SIMULATION PREPARATION														
Source Group	●	●	●											
Geometry Group	●	●	●											
Local Meshing	●	●	●											
3D Textures		●	●											
Polarizer		●	●											
Fluorescent Converter		●	●											
Light Field	●	●	●											
Preset Manager	●	●	●											

/ OPTICS	Speos Pro	Speos Premium	Speos Enterprise	Speos Optical Part Design	Speos Optical Sensor Test	Speos Hud Design And Analysis	Speos Far Infrared Extension	Speos Optical Design Optimizer	OpticsBuilder	OpticStudio Professional	OpticStudio Premium	OpticStudio Enterprise		
SIMULATION PREPARATION														
Texture Mapping (Bump, Multi-Layer)		●	●											
Uniform Ambient Source	●	●	●											
HDRI Source	●	●	●											
CIE Sky Source		●	●											
Natural Light Source		●	●											
Near Infrared Extended Ambient Source		●	●											
Thermic Source							●							
POST PROCESSING														
Virtual Lighting Controller		●	●											
Photometric Numerical Certification	●	●	●											
Colorimetric Analysis	●	●	●											
Spectral Analysis		●	●											
Light Expert	●	●	●											
Layer by Source		●	●											
Layer by Face		●	●											
Layer by Sequence		●	●											
Stray Light Analysis		●	●											
Layer by Polarisation		●	●											
Visibility and Legibility			●											
Night Vision Goggle							●							
Script Automation	●	●	●											
OPTIMIZATION														
Parameters	●	●	●											
Design of Experiment	● ³	● ³	● ³											
Design Optimisation	● ³	● ³	● ³					● ¹⁰						
Ansys optiSLang Interface (12)	■	■	■											

/ OPTICS	Speos Pro	Speos Premium	Speos Enterprise	Speos Optical Part Design	Speos Optical Sensor Test	Speos Hud Design And Analysis	Speos Far Infrared Extension	Speos Optical Design Optimizer	OpticsBuilder	OpticStudio Professional	OpticStudio Premium	OpticStudio Enterprise		
TOOL INTEROPERABILITY														
Shared Workflows with Ansys Lumerical Products	●	●	●											
Shared Workflows with Ansys Zemax OpticStudio	●	●	●											
Shared Workflows with Ansys Mechanical	●	●	●											
IMAGING & AFOCAL DESIGN														
Sequential Ray Tracing										●	●	●		
12 Field Points										●	●	●		
50 Field Points (Best For Aspheric Design)										●	●	●		
2000+ Field Points (Best For Freeforms)											●	●		
Optimization										●	●	●		
Contrast Optimization										●	●	●		
High-Yield Optimization										●	●	●		
Tolerancing										●	●	●		
Quick Yield Analysis										●	●	●		
Tolerance Data Viewer										●	●	●		
Tolerance Data Analysis										●	●	●		
Black Box Encryption										●	●	●		
Image Quality Analysis										●	●	●		
Image Simulation Analysis										●	●	●		
Full-Field Aberration Analysis										●	●	●		
Aspheric Design										●	●	●		
Freeform Optics										●	●	●		
Diffractive Optics										●	●	●		
Ghost Focus Generator										●	●	●		
Multiple Configurations										●	●	●		
Birefringence										●	●	●		
Stock Lens Matching Tool										●	●	●		
TrueFreeform											●	●		

● Full Support ▲ Limited Capability ■ Requires more than 1 product

/ OPTICS	Speos Pro	Speos Premium	Speos Enterprise	Speos Optical Part Design	Speos Optical Sensor Test	Speos Hud Design And Analysis	Speos Far Infrared Extension	Speos Optical Design Optimizer	OpticsBuilder	OpticStudio Professional	OpticStudio Premium	OpticStudio Enterprise		
LIGHTING AND ILLUMINATION DESIGN														
Non-sequential ray tracing										●	●	●		
Geometric light sources										●	●	●		
Measured light sources										●	●	●		
Objects										●	●	●		
Detectors										●	●	●		
Optimization										●	●	●		
Freeform Optics										●	●	●		
Tolerancing										●	●	●		
Colorimetry										●	●	●		
Ray splitting										●	●	●		
Ray scattering										●	●	●		
Measured source models											●	●		
Measured surface scattering models											●	●		
LightningTrace											●	●		
Source Illumination Map											●	●		
Phosphor & fluorescence modeling											●	●		
Path analysis											●	●		
PROGRAMMING AND INTERFACE														
Zemax Programming Language										●	●	●		
User-configurable shortcut keys										●	●	●		
MATLAB interoperability										●	●	●		
User-defined surfaces and objects										●	●	●		
User-defined scatter profiles and sources										●	●	●		
Programmable interface (ZOS-API)										●	●	●		

/ OPTICS	Speos Pro	Speos Premium	Speos Enterprise	Speos Optical Part Design	Speos Optical Sensor Test	Speos Hud Design And Analysis	Speos Far Infrared Extension	Speos Optical Design Optimizer	OpticsBuilder	OpticStudio Professional	OpticStudio Premium	OpticStudio Enterprise		
LASERS & FIBERS														
Gaussian beams										●	●	●		
Scanning systems										●	●	●		
Single mode fiber coupling										●	●	●		
Multi-mode fiber coupling										●	●	●		
Optimization										●	●	●		
Tolerancing										●	●	●		
Physical Optics Propagation										●	●	●		
M2 & beam quality										●	●	●		
CAD INTEGRATION														
Export to STEP, IGES, SAT, STL										●	●	●		
Import STEP, IGES, SAT, STL										●	●	●		
Dynamic link to CAD Software											●	●		
Part-designer - static parts										●	●	●		
Part-designer - dynamic parts											●	●		
DATA LIBRARIES														
Design Templates collection										●	●	●		
Lens Catalog										●	●	●		
Materials Catalog										●	●	●		
Coatings Catalog										●	●	●		
Test Plate Lists										●	●	●		
Spectrum Data Files										●	●	●		
IS Scatter Catalog											●	●		
Radiant Source Models											●	●		
IES Source Models											●	●		

/ OPTICS	Speos Pro	Speos Premium	Speos Enterprise	Speos Optical Part Design	Speos Optical Sensor Test	Speos Hud Design And Analysis	Speos Far Infrared Extension	Speos Optical Design Optimizer	OpticsBuilder	OpticStudio Professional	OpticStudio Premium	OpticStudio Enterprise		
STAR														
FEA Data Viewer												●		
Load FEA Data tool												●		
Fit Assessment tool												●		
Alignment Check												●		
Structural Data Summary												●		
Thermal Data Summary												●		
STAR System Viewer												●		
Performance Analysis												●		
2D Deformation Plot												●		
Thermal Index Plot												●		
OPTICSBUILDER														
Import .ZBD file									●					
Update .ZBD file									●					
Export .ZBD file									●					
Static Boundary Rays									●					
Generate reference geometry									●					
Add mounting edge									●					
Add fold mirror									●					
Add sources and detectors									●					
Region of interest									●					
Apply surface properties									●					
Create ray filter									●					
Animate rays									●					
Hide/Show Rays									●					
Partial Rays									●					
Ray Geometry									●					
Chief Rays									●					

● Full Support ▲ Limited Capability ■ Requires more than 1 product

/ OPTICS	Speos Pro	Speos Premium	Speos Enterprise	Speos Optical Part Design	Speos Optical Sensor Test	Speos Hud Design And Analysis	Speos Far Infrared Extension	Speos Optical Design Optimizer	OpticsBuilder	OpticStudio Professional	OpticStudio Premium	OpticStudio Enterprise		
OPTICSBUILDER														
Ray Footprints									●					
Show Tolerances									●					
Generate lens drawings									●					
Optical geometry properties									●					
Editable optics									●					
System settings									●					
Optomechanical Packaging Analysis									●					
Simulation									●					
Results									●					
Show detectors									●					
Report									●					
Show Clipping Rays									●					
Show Contaminating Rays									●					
Print									●					

/ ELECTRONICS	Maxwell	HFSS	Siwave	Q3D Extractor	Icepak	Motor-CAD	EMA3D Cable	EMA3D Charge	Nuhertz FilterSolutions	Electronics Pro 2D	Electronics Enterprise
LOW FREQUENCY ELECTROMAGNETICS											
Electrostatics	●									●	●
AC Conduction	●									●	●
DC Conduction	●									●	●
Magnetostatics	●									●	●
Adaptive Field Mesh	●									●	●
AC Harmonic Magnetic	●									●	●
Electric Transient	●										●
MAGNETIC TRANSIENT											
Translational Motion	●									●	●
Fully Automatic Symmetrical Mesh Generation	●									●	●
Rotational Motion	●									●	●
Non-Cylindrical Motion	●									●	●
Advanced Embedded Circuit Coupling	●									●	●
Circuit Coupling with Adaptive Time Stepping	●									●	●
Direct and Iterative Matrix Solvers	●									●	●
ADVANCED MAGNETIC MODELING											
Vector Hysteresis Modeling	●									●	●
Multi-Conductive Terminals Modelling (PCBs, Busbars etc.) / A-Phi Solver	●										●
Hysteresis Modeling for Anisotropic Material	●									●	●
Frequency Dependent Reduced Order Models	●									●	●
Reduced Order Model Extraction (Linear-Motion, Rotational-Motion, No- Motion)	●									●	●
Functional Magnetization Direction	●									●	●
Magnetization/De- Magnetization Modeling	●									●	●
Manufacturing Dependent Core L Loss Models	●									●	●
Noise – Vibration Modeling	■									■	■
Temperature Dependent De-Magnetization Modeling	●									●	●

● Full Support ▲ Limited Capability ■ Requires more than 1 product

/ ELECTRONICS	Maxwell	HFSS	Siwave	Q3D Extractor	Icepak	Motor-CAD	EMA3D Cable	EMA3D Charge	Nuhertz FilterSolutions	Electronics Pro 2D	Electronics Enterprise
ADVANCED MAGNETIC MODELING											
Temperature Dependent Core Loss Computation	●									●	●
Lamination Modeling	●									●	●
Magnetostriction and Magnetoelastic Modeling	●									●	●
Hardware in the Loop Modeling	●									●	●
Integrated Motor Synthesis and Design Kit	●									●	●
Integrated Planar Magnetics Synthesis and Design Kit	●									●	●
Temperature Dependant Litz Wire Modeling	●									●	●
Litz Wire Modeling	●									●	●
CONCEPT DESIGN SOLUTION FOR ELECTRICAL MACHINE											
Template-Based Magnetic Topologies						●					
Template-Based Cooling Topologies						●					
Magnetic 2D FEA with Analytical Solution						●					
Thermal 2D FEA						●					
3D Thermal and Fluid Network						●					
Optimization Workflow						■					
Temperature Dependent Duty-Cycle Analysis						●					
Manufacturing Effects Due to Winding Impregnation and Housing Interfaces						●					
Linear Structural 2D FEA						●					
Noise Vibration Harness Analytical Modelling						●					
Electrothermal Reduced Order Model (FMU)						●					
HIGH FREQUENCY ELECTROMAGNETICS											
Fully Automated Adaptive Mesh Refinement		●									●
Multi-Frequency Broadband Adaptive Meshing		●									●
Frequency Domain Finite Element (FEM) Analysis		●									●
Frequency Domain Integral Equation (MoM) Analysis		●									●
Time Domain FEM Analysis		●									●
FEM Eigenmode Analysis		●									●
MoM Characteristic Mode Analysis		●									●

● Full Support ▲ Limited Capability ■ Requires more than 1 product

/ ELECTRONICS	Maxwell	HFSS	Siwave	Q3D Extractor	Icepak	Motor-CAD	EMA3D Cable	EMA3D Charge	Nuhertz FilterSolutions	Electronics Pro 2D	Electronics Enterprise
HIGH FREQUENCY ELECTROMAGNETICS											
Physical Optics (PO) Analysis		●									●
Shooting and Bouncing Ray+ (SBR+) Analysis		●									●
Physical Theory of Diffraction (PTD) Correction for SBR		●									●
Uniform Theory of Diffraction (UTD) Correction for SBR		●									●
Visual Ray Tracing for SBR+ Analysis		●									●
SBR+ Creeping Wave Correction for RCS of Curved Objects		●									●
Range Doppler Plots for Radar Scenario Analyses											●
Accelerated Doppler Processing (ADP) for SBR+ Range Doppler Analyses											●
RF and Digital Filter Synthesis and Design									●		
Domain Decomposition Method (DDM) for Frequency Domain FEM Analysis		●									●
Hybrid Finite Element/ Integral Equation Analysis		●									●
Efficient Wirebond Package Meshing		●									●
UI Coupled Finite Element and/or IE with SBR+ Analysis		●									●
Modal Wave Port Excitation		●									●
Terminal Wave Port Excitations		●									●
Lumped, Voltage and Current Excitations		●									●
Circuit Port Excitations		●									●
Parametric Antenna Excitations for SBR+		●									●
Floquet Excitations		●									●
Incident Wave Excitation		●									●
Magnetic Ferrite Bias Excitation		●									●
Perfect Electric and Magnetic Boundary		●									●
Finite Conductivity Boundary		●									●
Lumped RLC Boundary		●									●
Symmetry Boundary		●									●
Periodic Boundary		●									●
Frequency Dependant Materials		●									●

/ ELECTRONICS	Maxwell	HFSS	Siwave	Q3D Extractor	Icepak	Motor-CAD	EMA3D Cable	EMA3D Charge	Nuhertz FilterSolutions	Electronics Pro 2D	Electronics Enterprise
HIGH FREQUENCY ELECTROMAGNETICS											
Spatial XYZ Material Properties Via Dataset		●									●
Higher and Mixed Order Elements		●									●
Curvilinear Element Mesh Correction		●									●
S,Y,Z Matrix Results		●									●
E, H, J, P Field Results		●									●
Direct and Iterative Matrix Solvers		●									●
Antenna Parameter Calculation		●									●
Infinite and Finite Antenna Array Calculations		●									●
Radar Cross Section Calculation		●									●
FSS, EBG and Metamaterial Calculation		●									●
Specific Absorption Rate Calculation		●									●
EMI/EMC Calculation		●									●
System Level EMI and RFI Analysis		●								●	●
Linear Circuit Analysis with EM Dynamic link		●									●
Integrated Antenna Synthesis and Design Kit		●									●
5G SAR Standards Toolkit		●									●
Power Density and CDF		●									●
Radar Prep/Post Simulation Wizards		●									●
3D Component Libraries with User Controlled Parametrics		●									●
3D Component with Encryption Creation		●									●
3D Component with Encryption Utilization		●									●
RF Discharge Solver		●									●
Mutli-paction Solver		●									●
Volumetric SBR+ for 3D Dielectrics		●									●
Surface Roughness Model for SBR+		●									●
Accelerated Doppler Processing (ADP) for SBR+ Range-Doppler Analysis											●

/ ELECTRONICS	Maxwell	HFSS	Siwave	Q3D Extractor	Icepak	Motor-CAD	EMA3D Cable	EMA3D Charge	Nuhertz FilterSolutions	Electronics Pro 2D	Electronics Enterprise
POWER AND SIGNAL INTEGRITY BOARD SIMULATION CAPABILITIES											
Electronics Desktop 3D Layout GUI		●	●		●						●
ECAD Translation (Altium, Cadence, Mentor, Pulsonix, & Zuken)	●	●	●	●	●						●
MCAD (.sat) Generation from ECAD		●	●	●							●
Lead Frame Editor		●	●								●
DC Voltage, Current and Power Analysis for PKG/PCB			●								●
DC Joule Heating with Ansys Icepak			■	■	■						●
Passive Excitation Plane Resonance Analysis			●								●
Driven Excitation Plane Resonance Analysis			●								●
Automated Decoupling Analysis			●								●
Capacitor Loop Inductance Analysis			●								●
AC SYZ Analysis			●								●
Dynamically Linked Electromagnetic Field Solvers			●								●
Chip, Package, PCB Analysis (CPM)		●	●								●
Near-Field EMI Analysis											●
Far-Field EMI Analysis											●
EMI/EMC Full Board Scan											●
Characteristic Impedance (Zo) L PKG/PCB Scan											●
Full PCB/PKG Cross-Talk Scanning											●
TDR Wizard											●
TDR Analysis		●	●	●						●	●
Transient IBIS Circuit Analysis		●	●								●
Signal Net Analyzer											●
SerDes IBIS-AMI Circuit Analysis											●
Macro-Modeling (Network Data Explorer)	●	●	●	●							●
Steady State AC (LNA) Analysis			●								●
Virtual Compliance - DDRx, GDDRx, & LPDDRx											●

/ ELECTRONICS	Maxwell	HFSS	Siwave	Q3D Extractor	Icepak	Motor-CAD	EMA3D Cable	EMA3D Charge	Nuhertz FilterSolutions	Electronics Pro 2D	Electronics Enterprise
POWER AND SIGNAL INTEGRITY BOARD SIMULATION CAPABILITIES											
SPISIM Com and USB-C Compliance											●
SPISIM IBIS AMI Generation											●
Synopsys HSPICE Integration			●								●
Cadence PSPICE Support			●								●
Electromagnetically Circuit Driven Field Solvers		●	●								●
RLCG PARASITIC EXTRACTION											
DCRL, ACRL & CG Solver				●						●	●
IC Packaging RLCG IBIS Extraction for Signals & Power				●							●
Touchpanel RLCG Unit Cell Extraction				●							●
Adaptive Meshing for Accurate Extraction				●						●	●
Bus Bar RLCG Extraction	●			●						●	●
Power Inverter & Converter Component Extraction				●							●
3D Component Library				●							●
Reduced RLCG Matrix Operations				●							●
SPICE Equivalent Modeling Export				●						●	●
DCRL & ACRL Joule Heating Analysis with Icepak				●							●
Macro-Modeling (Network Data Explorer)				●							●
2D Cable Modeling Toolkit				●							●
ELECTRONICS COOLING											
Multi-Mode Heat Transfer					●						●
Steady-State and Transient					●						●
CFD Analysis					●						●
Turbulent Heat Transfer					●						●
Multiple-Fluid Analysis					●						●
Species Transport					●						●
Solar Loading					●						●
Reduced Order Flow and Thermal					●						●

● Full Support ▲ Limited Capability ■ Requires more than 1 product

/ ELECTRONICS	Maxwell	HFSS	Siwave	Q3D Extractor	Icepak	Motor-CAD	EMA3D Cable	EMA3D Charge	Nuhertz FilterSolutions	Electronics Pro 2D	Electronics Enterprise
ELECTRONICS COOLING											
Network Modeling	■	■	■	■	●						●
Joule Heating Analysis					●						●
Thermo-Electric Cooler Modeling					●						●
Thermostat Modeling					●						●
Package Characterization					●						●
CABLE MODELING											
Finite Difference Time Domain Analysis							●				
Multi-Conductor Transmission Line Analysis	●	●	●	●	●		●			●	●
Two-Way Coupling FDTD and Transmission Line Solver		▲					●				▲
Twisted Conductors							●				
Seam Impedance							●				
Cable Junctions							●				
Braided Shield Support							●				
Pin Voltage, Current Density, Plane Wave Excitations							●				
Multi-Conductor and Multi-Shield Support							●				●
Uses SpaceClaim Design Modeler UI							●				
Thin Surface and Thin Wire Algorithms							●				
HPC FOR ELECTRONICS											
GPU Support	▲	▲			▲						●
HPC Meshing, Multi-Domain, Multi-Technology		●									●
HPC Accelerated Frequency Sweeps	●	●	●								●
HPC Accelerated Broadband Fast Frequency Sweep		●									●
HPC Distributed Hybrid Solving		●									●
HPC Enabled Domain Decomposition Method	●	●									●
HPC Time Decomposition Method	●									●	●
HPC Enabled Multi-port Excitation Acceleration		●									●
HPC Acceleration for DCRL, ACRL and CG				●							●
HPC 2D Skew Parallel Processing	●									●	●
HPC Enabled Parallel Processing	●	●		●	●					●	●

● Full Support ▲ Limited Capability ■ Requires more than 1 product

/ ELECTRONICS	Maxwell	HFSS	Siwave	Q3D Extractor	Icepak	Motor-CAD	EMA3D Cable	EMA3D Charge	Nuhertz FilterSolutions	Electronics Pro 2D	Electronics Enterprise
SYSTEM MODELING FOR POWER ELECTRONICS											
Circuit Simulation	●	●	●	●	●					●	●
Block Diagram Simulation	●	●	●	●	●					●	●
State Machine Simulation	●	●	●	●	●					●	●
VHDL-AMS Simulation	●	●	●	●	●					●	●
Integrated Graphical Modeling Environment	●	●	●	●	●					●	●
Power Electronics Component Libraries	●	●	●	●	●					●	●
Reduced Order Modeling	●	●	●	●	●					●	●
Power Electronic Device and Module Characterization	●	●	●	●	●					●	●
Push-Back Excitation	●	●								●	●
Co-Simulation with Low Frequency Electromagnetics	●									●	●
Co-Simulation with MathWorks Simulink	●	●	●	●	●					●	●
SYSTEM MODELING FOR RF / MICROWAVE											
Radio Frequency Interference (RFI) System Solver		●								●	●
Electromagnetic Interference System Solver		●								●	●
RF Link Budget Analysis		●								●	●
RF Co-Site and Antenna Coexistence Analysis		●								●	●
Automated Diagnostics for Rapid Root-Cause Analysis		●								●	●
RF Component Library		●								●	●
Wireless Propagation Models		●								●	●
Multi-Fidelity Parametric Radio Models		●								●	●
SYSTEM MODELING FOR SI/PI											
SerDes Channel Modeling - IBIS-AMI, QuickEye and VerifEye											●
Multi-Drop & Parallel Bus Modeling - IBIS, HSPICE, Spectre, PSPICE, and Nexxim Transient		▲	●								●
Network Data Exploration	●	●	●	●							●
TDR analysis		●	●								●
Steady State AC (LNA) Analysis		●	●								●
Virtual Compliance - DDRx, GDDRx, & LPDDRx											●

/ ELECTRONICS	Maxwell	HFSS	Siwave	Q3D Extractor	Icepak	Motor-CAD	EMA3D Cable	EMA3D Charge	Nuhertz FilterSolutions	Electronics Pro 2D	Electronics Enterprise
MULTIPHYSICS-PLATFORM TECHNOLOGIES											
Advanced, Automated Data Exchange	●	●	●	●	●						●
Drag-n-Drop Multiphysics	■	■	■	■	■						●
Direct Coupling Between Physics	●	●	●	●	●						●
Collaborative Workflows	●	●	●	●	●						●
Fully Managed Co-Simulation	●	●	●	●	●						●
Flexible Solver Coupling Options	●	●	●	●	●						●
MULTIPHYSICS ELECTRO-THERMAL INTERACTION											
Convection Cooled Electronics	■	■	■		■						●
Conduction Cooled Electronics	■	■	■		■						●
High Frequency Thermal Management		■		■	■						●
Low Frequency Thermal Management	■			■	■						●
MATERIALS FOR ELECTRONICS											
Granta Materials Data for Simulation	■	■	■	■	■	■				■	■
Granta MI Materials Gateway	■	■	■	■	■	■				■	
Ansys Granta Advanced Materials – Electromagnetic	■	■	■	■	■	▲					■
MISCELLANEOUS											
Integrated Windows HPC Support	●	●	●	●	●						
Integrated IBM Spectrum LSF Support	●	●	●	●	●						
Customizable 3rd Party Scheduler Support	●	●	●	●	●						
Support ACT Extensions	▲	▲	▲	▲	▲						▲
Parallel Solving with Ansys Cloud Launched from Desktop	●	●	●	●	●						
Elastic Licensing	●	●	●	●	●	●					
CHARGING AND DISCHARGING MODELING											
Internal Charging								●			
Electrostatic Discharge in Air								●			
Surface Charging								●			
3D Particle Transport								●			
Arcing in Solid Dielectrics								●			
Coupled Charging Simulations								●			

/ PHOTONICS	CHARGE	CML Compiler	DGTD	FDTD	FEEM	HEAT	INTER-CONNECT	qINTER-CONNECT	MODE	MQW	STACK	RCWA	Verilog-A Platform
DESIGN ENVIRONMENT													
Finite Element IDE (with 2D/3D modeling)	●		●		●	●							
Finite Difference IDE (with 2D/3D modeling)				●					●		●	●	
Hierarchical Schematic Editor							●	●					
GENERAL													
HPC-ready / compatible with cloud providers				●					●				
PIC Element Library							●						
Supports CML development and distribution		●					●						
Automated CML generation		●											
Version controlled CMLs		●											
Structured input with template and data validation		●											
Automated test case generation		●											
IP protected CMLs		●					●						
INTERCONNECT and Verilog-A models from single source		●					●						●
Leverage build-in analysis from 3rd party EDA tools													●
Design and model using Verilog-A in 3rd party EDA tools													●
Available in Ansys Cloud	●	●	●	●	●	●	●		●	●	●	●	●
Ansys Cloud HPC Services Integration	●		●	●	●	●			●	●	●	●	
GENERAL SOLVER CAPABILITIES													
Charge transport (electrostatic potential and drift diffusion)	●												
Self-consistent heat/charge modeling	●					●							
Heat transport (heat flux, convection, and radiation)						●							
Finite Element Eigenmode Solver				●	●								
Discontinuous Galerkin Time Domain Solver			●										
Finite Difference Time Domain solver				●									
Finite Difference Eigenmode solver				●					●				
Bidirectional eigenmode expansion									●				
2.5D variational FDTD (varFDTD)									●				
Advanced Finite Difference Conformal Meshing				●					●			▲	

/ PHOTONICS	CHARGE	CML Compiler	DGTD	FDTD	FEEM	HEAT	INTER-CONNECT	qINTER-CONNECT	MODE	MQW	STACK	RCWA	Verilog-A Platform
GENERAL SOLVER CAPABILITIES													
Quantum mechanical band structure calc. (kp method)										●			
Waveguide and band diagram calculation										●			
Gain and spontaneous emission calculation										●			
Temperature, strain, and field effects										●			
Closed form solver for rapid multilayer thin-film analysis											●	●	
Planewave and dipole illumination											●	●	
Capture Interface and microcavity effects											●	●	
Circuit frequency domain analysis							●	●					
Circuit transient mode simulator							●						
Circuit transient block mode simulator							●						
Circuit multi-mode and multi-channel support							●	●					
Circuit mixed signal representation							●						
Laser library with TWLM solver							●						
System library including optical fibre, FEC and MLSE models							●						
Rigorous Coupled-Wave Analysis Solver												●	
Waveguide Bend Calculation for Bend Loss and Ring Analysis					●								
Quantum Logic Gate Simulation								●					
Quantum Loss Extraction								●					
MATERIALS SELECTION & RELATED TOOLS													
Comprehensive Material Models	●		●	●	●	●			●	●	●	●	
Multi-coefficient Models			●	●					●				
Non-linearity Modeling				●	▲				▲				
Anisotropy Modeling				●	▲				▲		●		
OPTIMIZATION													
Inverse Design with lumopt				●					▲				
Particle Swarm	●		●	●	●	●	●		●		▲	▲	
Parameter Sweeps	●		●	●	●	●	●		●	▲	▲	▲	
POST PROCESSING													
Far-Field Projection			●	●	●				●				
Band Structure Analysis				●									
Bidirectional Scattering Distribution Function				●									

● Full Support ▲ Limited Capability ■ Requires more than 1 product

/ PHOTONICS	CHARGE	CML Compiler	DGTD	FDTD	FEEM	HEAT	INTER-CONNECT	qINTER-CONNECT	MODE	MQW	STACK	RCWA	Verilog-A Platform
POSTPROCESSING													
Q-Factor Analysis			●	●									
Charge Generation Rate			●	●									
Bend Loss Analysis									●				
Overlap analysis									●				
Model area analysis									●				
Helical waveguides									●				
Extract gain/absorption and spontaneous emission coefficients for TWLM model (INTERCONNECT)										●			
Statistical support (Monte-Carlo Analysis)	●		●	●	●	●	●		●				
Statistical Support (Corner analysis)							●						
Small-signal analysis	●												
Steady-state and transient analysis	●					●							
Laser Self-Heating							●						
TOOL INTEROPERABILITY													
Multiphysics Solver Interoperability	●		●	●	●	●			●				
Automation API (Lumerical script/Matlab/Python)	●		●	●	●	●	●		●	●	●	●	
Circuit electronic photonic co-simulation (3rd party tools)							●						●
optiSLang Integration	●		●	●	●	●	●		●	●	●	●	
Shared workflows with Speos				●							●	●	
Speos Surface Models: BSDF/BRDF format exchange				●									
Speos Surface Models: Diffraction Grating SOP Plugin				●							●	●	
Optics Interoperability Workflows with Speos and/or Zemax				●							●	●	
Process Enabled Photonic Component Design Workflows	●		●	●	●	●			●				
Virtuoso layout integration				●					●				
KLayout integration							●						

/ DESIGN TOOLS	SpaceClaim	DesignModeler	Discovery
FLUIDS			
Inlet and Outlet Conditions			●
Steady-state Flow			●
Transient Flow			●
Incompressible Flow			●
Compressible Flow			▲
Porous Media			●
Rotating Fluid Zone			●
GEOMETRY			
Direct Modeling Technology	●		●
Feature Based Modeling Technology	●	●	●
Open Data from All Major CAD Systems	●	●	●
Modify Imported Geometry	●	●	●
Defeaturing and Simplification Tools	●	●	●
Model Repair	●	●	●
Add Parameters for Design Exploration	●	●	●
Extract Mid-Surfaces/Shells and Beams	●	●	●
Extract Fluid Volumes	●	●	●
Shared Topology for Conformal Meshing	●	●	●
Boundary Condition Mapping	●	●	●
Reverse Engineering Faceted Data	●		●
Prep for Additive Manufacturing	●		●
HEAT TRANSFER			
Steady-state Solid Conduction			●
Transient Solid Conduction			●
Natural Convection			●
Conjugate Heat Transfer			●
External Radiation			●

- 1 = Ansys nCode DesignLife Products
- 2 = Ansys Fluent
- 3 = Ansys DesignXplorer
- 4 = Ansys SpaceClaim
- 5 = Ansys Customization Suite (ACS)
- 6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
- 7 = Ansys Granta Materials Data for Simulation
- 8 = Ansys Additive Suite
- 9 = Ansys Composite Cure Simulation
- 10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
- 11 = Ansys SPEOS
- 12 = Ansys SPEOS & Ansys SPEOS for NX
- 13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
- DMP = Distributed-memory parallel
- SMP = Shared-memory parallel
- MAPDL = Mechanical APDL
- Explicit = Autodyn
- RBD = Rigid Body Dynamics
- Aqwa = Aqwa

/ DESIGN TOOLS	SpaceClaim	DesignModeler	Discovery
GRANTA MATERIALS DATA FOR SIMULATION			
Materials Data for Simulation			■
MULTIPHYSICS			
Conjugate Heat Transfer			●
Thermal-Stress			●
STRUCTURAL			
Static Structural Analysis			●
Modal Analysis			●
Pre-Stressed Modal Analysis			■
Point Masses			●
Springs			●
Joints			●
Nonlinear Contact			■
Pre-Tension Bolts			●
Large Deformation			■
Topology Optimization			●
TOOL INTEROPERABILITY			
Supported running on the Ansys Cloud In browser interactively	●	●	●
Geometry Transfer to Workbench (WB), Fluent, and Mechanical	●	●	●
Physics Transfer to Fluent, Mechanical, and HFSS			●
HIGH FREQUENCY ELECTROMAGNETICS			
Automated Antenna Simulation Workflow			●
FDTD Solution with Automated Graded Cartesian Grid			●
Circuit Port Excitations			●
Mode Port Excitations			●
Electric and Magnetic Material Properties			●
S Parameters Including Smith Charts and Touchstone Export			●
Electric and Magnetic Field Results			●
Antenna Parameter Calculation			●

- 1 = Ansys nCode DesignLife Products
- 2 = Ansys Fluent
- 3 = Ansys DesignXplorer
- 4 = Ansys SpaceClaim
- 5 = Ansys Customization Suite (ACS)
- 6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
- 7 = Ansys Granta Materials Data for Simulation
- 8 = Ansys Additive Suite
- 9 = Ansys Composite Cure Simulation
- 10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
- 11 = Ansys SPEOS
- 12 = Ansys SPEOS & Ansys SPEOS for NX
- 13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
- DMP = Distributed-memory parallel
- SMP = Shared-memory parallel
- MAPDL = Mechanical APDL
- Explicit = Autodyn
- RBD = Rigid Body Dynamics
- Aqwa = Aqwa

/ DIGITAL MISSION ENGINEERING	STK Pro	STK Premium (Space)	STK Premium (Air)	STK Enterprise	STK Scheduler	STK Solis	STK Missile Tool Kit	PropNav	ODTK	ODTK SSA	STK Engine	DME Component Libraries
MODELING CAPABILITIES												
Physics-based object modeling	●	●	●	●					●			
Full 3D and 2D visualization	●	●	●	●								
Streaming imagery	●	●	●	●								
Integrated timeline view	●	●	●	●								
Reporting and graphing	●	●	●	●					●			
Moviemaking	●	●	●	●								
Geometric sensor models (rectangular, complex conic, SAR, etc.)	●	●	●	●								
Platform attitude profiles (aligned, ECF, ECI, fixed in axes, external-file, etc.)	●	●	●	●								
System constraints (azimuth, elevation, range, line of sight, temporal, lighting, etc.)	●	●	●	●								
Single object access calculations	●	●	●	●								
Many vs. many, multinode access computations	●	●	●	●								
Body masking	●	●	●	●								
Sensor obscuration tool	●	●	●	●								
Import digital terrain data	●	●	●	●								
Terrain-based analysis and route following	●	●	●	●								
RF communications system modeling	●	●	●	●								
Radar system modeling	●	●	●	●								
Urban environment signal attenuation	●	●	●	●								
User-defined coverage grids for data visualization	●	●	●	●								
Advanced orbit trajectory design	▲	●	▲	●								
Test and evaluation planning and results analysis	▲	▲	▲	●								
Parallel computing	▲	●	●	●								
Missile and launch vehicle modeling	●	●	●	●			■ ¹					
Real-time tracking data feeds		●	●	●								
DIS and HLA interfaces		●	●	●								

/ DIGITAL MISSION ENGINEERING	STK Pro	STK Premium (Space)	STK Premium (Air)	STK Enterprise	STK Scheduler	STK Solis	STK Missile Tool Kit	PropNav	ODTK	ODTK SSA	STK Engine	DME Component Libraries
MODELING CAPABILITIES												
Electro-optical and infrared sensor modeling		●	●	●	●							
Model advanced space environment effects		●		●	●							
Consider spacecraft perturbation effects (e.g., solar radiation pressure drag)		●		●	●							
Spacecraft rendezvous and proximity operation maneuver planning templates		●		●	●							
Solar panel power estimation tool		●	●	●	●							
Performance-based aircraft route design			●	●	●							
Wind effects on airborne vehicle trajectories			●	●	●							
Runway and waypoint catalogs			●	●	●							
Correlate external ephemeris to known platform performance envelopes				●	●							
Integrate analysis with SysML state machine simulations					●							
Resource and asset scheduling in STK-modeled missions						■ ¹						
Dynamic spacecraft attitude system modeling							■ ¹					
Emulate onboard spacecraft attitude flight control systems							■ ¹					
Design attitude system P-I-D controls							■ ¹					
Model onboard spacecraft reaction wheels and gyros							■ ¹					
Advance multi-stage missile system modeling								■ ¹				
Proportional navigation and guidance simulation									■ ¹			
SIMULATE & PROCESS SATELLITE / SPACECRAFT TRACKING DATA												
Process spacecraft tracking and measurement data									●			
Resolve spacecraft maneuvers from tracking measurements									●			
Multiple simultaneous orbit solutions									●			
Combine multisource satellite tracking data									●			
Collection of common automation routines for on-orbit operations									■			
Object association and correlation against existing catalog									■ ¹	●		
Automated maneuver processing, characterization, and refined orbit estimations										●		

/ DIGITAL MISSION ENGINEERING	STK Pro	STK Premium (Space)	STK Premium (Air)	STK Enterprise	STK Scheduler	STK Solis	STK Missile Tool Kit	PropNav	ODTK	ODTK SSA	STK Engine	DME Component Libraries
APP DEVELOPMENT API'S												
Software development kit APIs for workflow automation & scripting	●	●	●	●	●	●	●	●	●			
Deployment of custom applications developed using STK's API's											●	
Scalable .DLL's for building custom stand-alone or server-based applications and services												●

/ CLOUD	Ansys Cloud Direct	Ansys Gateway Powered by AWS							
VDI SUPPORT									
Windows (RDP)	●	●							
Linux		●							
In-browser	●								
HPC SUPPORT									
HPC Support	●	●							
CLOUD HARDWARE PROVIDER									
Ansys Managed	●								
Bring Your Own Cloud		●							
STORAGE									
Object Storage	●								
Volume Storage		●							
Shared SMB and NFS Storage		●							
LICENSING									
Bring Your Own License	●	●							
Elastic Licensing	●	●							
AUTHENTICATION									
Ansys ID/SSO	●								
Active Directory Integration		●							
WEB PORTAL									
Access Controls		●							
Template Creation		●							
Budget Control	●	●							
Usage Reporting	●	●							
3RD PARTY TOOLS									
3rd Party Tools		●							

- 1 = Ansys nCode DesignLife Products
- 2 = Ansys Fluent
- 3 = Ansys DesignXplorer
- 4 = Ansys SpaceClaim
- 5 = Ansys Customization Suite (ACS)
- 6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
- 7 = Ansys Granta Materials Data for Simulation
- 8 = Ansys Additive Suite
- 9 = Ansys Composite Cure Simulation
- 10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
- 11 = Ansys SPEOS
- 12 = Ansys SPEOS & Ansys SPEOS for NX
- 13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
- DMP = Distributed-memory parallel
- SMP = Shared-memory parallel
- MAPDL = Mechanical APDL
- Explicit = Autodyn
- RBD = Rigid Body Dynamics
- Aqwa = Aqwa